

# PCT Procalcitonin

Bibliography  
August 2003

see also: <http://www.procalcitonin.com>

Uvoznik za Hrvatsku  
**Biovit d.o.o.**  
<http://www.biovit.hr>  
[info@biovit.hr](mailto:info@biovit.hr)

**B R A H M S** Aktiengesellschaft • Neuendorfstr. 25 • D-16761 Hennigsdorf bei Berlin  
Tel.: +49-3302 - 883-644, FAX: +49-3302 - 883-835

<b>SUBJECT</b>	<b>BDN NUMBER</b>
<b>Reviews</b>	042; <b>100; 106; 112</b> ; 120; 144; 157; <b>175</b> ; 177; 239; 241; 249; 268; 314; <b>316</b> ; 334; 354, <b>377</b> ; 387, <b>408, 411</b> , 414, 416, 428, 449, 468, 469, 470, 488, 531, 535, 565, 571, 572, <b>573</b> , 605, 606, 610,
<b>Infection / Sepsis</b>	028; 035; 082; 107; 134; 146; <b>175</b> ; 241; 243; 249, 254; 270; 288; 314; 315; 317; 326; 338; 358,361; 362; 364; 365; 372; 374; 376; 379; 383;389; <b>390</b> ; 392; 393; 395; 397; 400; <b>403</b> ; 404; 407, 425, 431, 437, 454, 457, 458, 460, 461, 469, 470, 472, 480, 485, <b>491</b> , 502, 510, <b>526</b> , 528, 531, 533, 535, 536, 542, 548, 549, 550, 553, 556, 557, 565, <b>570</b> , 577, 579, 580, 581, 587, 589, 592, 605, 611, 626, 627, 634, <b>639</b> , 642, 645, <b>648</b> , 651, <b>652, 655</b> , 657, 658, 659, 660, 661, 665, 676
<b>Differential Diagnosis</b>	<b>063; 078; 112</b> ; 148; 253; 340; 344; 358; 361; 367; 368, 369; 371; 389; 522, 530 , 540, 566, 614, 670
<b>Surgery / Trauma / Polytrauma</b>	129; <b>174</b> ; 180; 185; 203; 234; 236; 246; 247; 248; 249; 255; 261; 272; 319; 344; 346; 348; 370; 382; 384; 386; 394; 415, 424, 427, 430, 434, 439, 453, 457, 498, 518, 527, 532, 537, 544, 552, 557, <b>569</b> , 588, 593, 603, <b>609</b> , 638, 641, 644, 647, 663, 669, 675
<b>Transplantation</b>	036; <b>089; 090</b> ; 093; 108; 159; 235; 237; 238; 256; <b>269</b> ; 341; 352; 353; <b>354</b> ; 368; 369, 375, 439, 455, 475, 476, 477, 479, 490, 500, 541, <b>547</b> , 623, <b>672</b>
<b>Paediatrics / Neonatology</b>	024; 076; <b>077; 078; 151</b> ; 153; <b>239</b> ; 257; 263; 293; 294; 331, 347; 357; 358; 366; 367; 402; 410; <b>411</b> , 418, 435, 436, 438, 458, 460, 478, 511, 523, 544, 545, 559, 566, 567, 568, 596, <b>612</b> , 613, <b>615</b> , 616, 619, 649, 650, 654, <b>655</b> , 666, 673
<b>Haematology / Oncology</b>	119; 173; 228; 240; 264; 267; 327, 330; <b>372</b> ; 381; 399; 426, 433, <b>446</b> , 459, 503, 513, 515, 519, 564, 584, 632, <b>672</b>
<b>Burn injury</b>	005; 006; 007; 008; <b>141</b> ; 262; 351, 494, 585, 586,
<b>Kinetics, Biochemistry Pathophysiology</b>	<b>019; 030</b> ; 071; 116; 215;227; 260; 313; 318, 329; 332; 333; 336; 339; 349; 350; 373; 378; 379; 391; 401; 402; 406; 412, 441, 442, 444, <b>452</b> , 456, 462, 463, 464, 465, 466, 467, 475, 480, 484, 495, 504, 509, 514, 516, 520, 534, 558, 562, 563, 574, 594, 595, 604, 607, 631, 633, <b>653</b> , 667,
<b>Laboratory aspects</b>	<b>176</b> ; 271; <b>316</b> ; 356; 432, 440, 553, 591,
<b>Rapid test</b>	355, 432, <b>440, 448</b> , 493, 624
<b>PCT vs. Inflammatory parameters</b>	024; 038; 089; 090; 141; 203; 245; 246; 247; 253; 256, 258; 261, 262; 264; 269; 270; <b>316</b> ; 326, 330; <b>335</b> ;337; 342; 347; 357; 365; 374; 397; 399; 402; 403; 404; 407, 412; 413, 418, 435, 438, 460, 474, 478, 479, <b>491. 521, 530, 542, 655</b> , 662, 668,
<b>Economic aspects</b>	403, <b>522</b> , 578, 608,630, 640
<b><u>SPECIAL INDICATIONS:</u></b>	
<b>ARDS</b>	343; 344; 417,
<b>Autoimmune diseases</b>	<b>063</b> ; 181; 209; 244; 245; 302; 303; <b>371</b> ; 385; 429, 508
<b>Funghi</b>	036; 322, 627
<b>HIV</b>	142
<b>Immunosuppression</b>	108; <b>136</b> ;
<b>Malaria</b>	<b>033; 139</b> ; 178; <b>259</b> ; 380, 471, 507, 518, 560
<b>Meningitis</b>	<b>078; 217; 253</b> ; 266; 328; 396; 409; 473, 489, <b>522</b> , 530, 577, 597, <b>601</b> , 617, 643
<b>Pancreatitis</b>	<b>020</b> ; 156; 250; 251; 363; 382; 398; <b>443, 448</b> , 542, 583, 646, 656
<b>Peritonitis</b>	<b>082; 128</b> ; 129; <b>304</b> ; 431, 496
<b>Pneumonia</b>	011; <b>038</b> ; 418, <b>458</b> , 486, 493, <b>551</b> , 561, 567, <b>569, 618</b> , 628, 664
<b>Pyelonephritis, UTI</b>	<b>252</b> ; 258, 456, <b>487</b> , 493, <b>566</b> , 670
<b>Shock</b>	005; <b>038</b> , 379, 484

- BDN 005 Nylen ES et al. and Becker KL.**  
Serum procalcitonin as an index of inhalation injury in burns  
Horm metab Res 1992; 24: 439-42
- BDN 006 O'Neill WJ, Jordan MH, Lewis MS, Snider RH, Moor CF, Becker KL.**  
Serum Calcitonin may be a marker for inhalation injury in burns  
J Burn Care Rehabil. 1992; 13: 605-616
- BDN 007 Becker KL et al. and Jordan MH.**  
Hypercalcitonemia in inhalation burn injury: a response of the pulmonary neuroendocrine cell?. Anatomic Record (1993); 236: 136-8
- BDN 008 Nylen ES et al. and Becker KH.**  
Late pulmonary sequela following burns: persistence of hyperprocalcitonemia using a 1-57 amino acid N-terminal flanking peptide assay  
Respirat Med 1995; 89: 41-6
- BDN 011 Nylen E, Snider R, Thompson K, Rohatgi P, Becker K.**  
Pneumonitis-associated hyperprocalcitoninemia  
Am J Med Sci 1996; 312 (1): 12-8
- BDN 019 Becker KL, Nylén ES, Cohen R, Snider RH.**  
Calcitonin: Structure, Molecular Biology, and Actions  
in Principles of Bone Biology, Acad. Press; (1996), Chapt. 34; 471-494
- BDN 020 Rau B, Steinbach G, Gansauge F, Mayer JM, Grunert A, Beger HG.**  
The potential role of procalcitonin and interleukin 8 in the prediction of infected necrosis in acute pancreatitis  
Gut 1997; 41(6): 832-840
- BDN 024 Monneret G, Labaune JM, Isaac C, Bienvenu F, Putet G, Bienvenu J.**  
Procalcitonin and C-reactive protein levels in neonatal infections  
Acta Paediatr 1997; 86: 209-12
- BDN 028 Assicot M, Gendrel D, Carsin H, Raymond J, Guilbaud J, Bohuon C.**  
High serum procalcitonin concentrations in patients with sepsis and infection  
Lancet 1993; 341: 515-8
- BDN 030 Dandona P, Nix D, Wilson MF, Aljada A, Love J, Assicot M, Bohuon C.**  
Procalcitonin increase after endotoxin injection in normal subjects  
J Clin Endocrinol Metab 1994; 79 (6): 1605-8
- BDN 033 Davis TME, Assicot M, Bohuon C, St. John A, Li GQ, Anh TK.**  
Serum procalcitonin concentrations in acute malaria  
Trans R Soc Trop Med Hyg 1994; 88 (6): 670-1
- BDN 035 Smith MD et al. and White NJ.**  
Elevated serum procalcitonin levels in patients with melioidosis  
Clin Infect Dis 1995; 20: 641-5
- BDN 036 Gerard Y, Hober D, Petitjean S, Assicot M, Bohuon C, Mouton Q, Wattré P.**  
High serum procalcitonin level in a 4-year-old liver transplant recipient with a disseminated candidiasis  
Infection 1995; 23: 310-1
- BDN 038 de Werra I et al. and Heumann D.**  
Cytokines, nitrite/nitrate, soluble tumor necrosis factor receptors, and procalcitonin concentrations: comparisons in patients with septic shock, cardiogenic shock and bacterial pneumonia  
Crit Care Med 1997; 25 (4): 607-13
- BDN 042 Bohuon C, Assicot M.**  
Procalcitonin: A new innovative marker for sepsis and very severe inflammatory diseases  
The Immune Consequences of Trauma, Shock and Sepsis - Mechanism and Therapeutic Approaches. Eds. E. Faist, AE. Baue, FW. Schildberg, Pabst Science Publishers, (1997); 2 (1): 158-161

- BDN 063 Eberhard OK, Haubitz M, Brunkhorst FM, Kliem V, Koch KM, Brunkhorst R.**  
Usefulness of Procalcitonin for differentiation between activity of systemic autoimmune disease and invasive bacterial infection  
Arthritis and Rheumatism 1997; 40 (7): 1250-1256
- BDN 071 Rehli M, Luger K, Beier W, Falk W.**  
Molecular cloning and expression of mouse procalcitonin  
Biochem Biophys Res Commun 1996; 226: 420-5
- BDN 076 Gendrel D, Raymond J, Moulin F, Assicot M, Bohuon C.**  
La Procalcitonine, un nouveau marqueur de l'infection bactérienne  
Flammarion Médecine-Sciences – J. Parisiennes de pédiatrie 1995; 23-9
- BDN 077 Gendrel D, Assicot M, Raymond J, Moulin F, Francoual Ch, Badoual J, Bohuon C.**  
Procalcitonin as a marker for the early diagnosis of neonatal infection  
J Pediatr (1996); 128 (4): 570-3
- BDN 078 Gendrel D, Raymond J, Assicot M, Moulin F, Iniguez J-L, Lebon P, Bohuon C.**  
Measurement of procalcitonin levels in children with bacterial or viral meningitis  
Clin Infect Dis 1997; 24: 1240-2
- BDN 082 Gramm HJ, Dollinger P, Beier W.**  
Procalcitonin - ein neuer Marker der inflammatorischen Wirtsantwort. Longitudinalstudien bei Patienten mit Sepsis und Peritonitis  
Chir Gastroenterol 1995; 11 (suppl 2): 51-4
- BDN 089 Staehler M, Überfuhr P, Reichart B, Hammer C**  
[Differential diagnosis of acute rejection and infections in heart transplanted patients: new ways using cytokines and procalcitonin as markers] [in German]  
Transplantationsmedizin 1997; 9: 44-50
- BDN 090 Staehler M, Hammer C, Meiser B, Fürst H, Reichhart B, Schildberg FW.**  
Differentialdiagnostik der akuten Abstoßreaktion und Infektion mittels Procalcitonin und Zytokinen  
Langenbecks Arch Chir I (Forumband 1997) 1997; 205-209
- BDN 093 Staehler M, Hammer C, Meiser B, Reichart B.**  
Procalcitonin: A new marker of differential diagnosis of acute rejection and bacterial infection in heart transplantation  
Transplantation Proceedings 1997; 29: 584-5
- BDN 100 Kämmerer W.**  
Procalcitonin - Ein neuer prognostischer Infektionsparameter bei septischen Infektionen  
Krankenhauspharmazie 1997; 18 (1): 11-5
- BDN 106 Meisner M.**  
Procalcitonin: A new innovative marker for severe infection and sepsis  
Biochemical and clinical aspects.  
BRAHMS Diagnostica 1996 , ISBN 3-00-000803-9
- BDN 107 Meisner M, Tschaikowsky K, Beier W, Schüttler J.**  
Procalcitonin (PCT) - a novel parameter for diagnosis and monitoring of bacterial inflammation and sepsis.  
[Procalcitonin (PCT) – ein neuer Parameter zur Diagnose und Verlaufskontrolle von bakteriellen Entzündungen und Sepsis.]  
Anästhesiologie und Intensivmedizin 1996; 10 (37): 529-39
- BDN 108 Meisner M, Tschaikowsky K, Schmidt J, Schüttler J**  
Procalcitonin (PCT) – Indications for a new diagnostic parameter of severe bacterial infection and sepsis in transplantation, immunosuppression and cardiac assist devices  
Cardiovascular Engineering 1996; 1 (1): 67-76
- BDN 112 Meisner M.**  
Procalcitonin (PCT)  
in Lothar Thomas, Labor und Diagnose, Indikation und Bewertung von Laborbefunden für die medizinische Diagnostik, 5.Auflage, TH-Books 1998; 728-731

- BDN 116 Le Moullec JM et al. and Moukhtar MS.**  
The complete sequence of human preprocalcitonin  
FEBS 1198 (1984);167 (1): 93-7
- BDN 119 Zintl F, Sauer M, Fuchs D, Hermann J, Reinhart K.**  
High serum procalcitonin (PCT) concentrations in children and adults after hemopoietic stem cell transplantation (HSCT) - an indicator for poor prognosis in severe infections  
Blood 1996; 88 (Suppl 1): 266b (Abstract)
- BDN 120 Reinhard K.**  
Neue Ansätze zur Diagnose von schweren Infektionen und Sepsis  
Journal für Anästhesie und Intensivbehandlung (7. Internationales Symposium für Intensivmedizin und Intensivpflege, Bremen, Feb 1997) 1997 I. Quartal; 107
- BDN 128 Reith HB, Lehmkuhl P, Beier W, Högy B.**  
Procalcitonin - ein prognostischer Infektionsparameter bei der Peritonitis  
Chir Gastroenterol 1995; 11 (suppl. 2): 47-50
- BDN 129 Kaman S, Reith HB, Mittelkötter U, Haarmann W, Kozuschek W.**  
Intensivmonitoring bei Peritonitis und Sepsis  
in Aktuelles in der Chirurgie. Kozuschek W, Reith H.B (Hrsg.); 8.Tagung der chirurgischen Kliniken der Krankenhäuser der Bundesknappschaft. Basel, Karger 1996; 157-63
- BDN 134 Al-Nawas B, Krammer I, Shah PM.**  
Procalcitonin in diagnosis of severe infections  
Eur J Med Res (1995/1996); 1: 331-3
- BDN 136 Al-Nawas B, Shah PM.**  
Procalcitonin in patients with and without immunosuppression and sepsis  
Infection 1996; 24 (6): 434-6
- BDN 139 Al-Nawas B, Shah PM.**  
Procalcitonin in acute malaria  
Eur J Med Res (1997); 2: 206-8
- BDN 141 Carsin H, Assicot M, Feger F, Roy O, Pennacino I, Le Bever H, Ainaud P, Bohuon C.**  
Evolution and significance of circulating procalcitonin levels compared with IL-6, TNFa and endotoxin levels early after thermal injury  
Burns 1997; 23 (3): 218-24
- BDN 142 Gerard Y et al. and Wattre P.**  
Procalcitonin as a marker of bacterial sepsis in patients infected with HIV-1  
J Infection 1997; 35: 41-6
- BDN 144 Gendrel D, Bohuon C.**  
Procalcitonin, a marker of bacterial infection  
Infection 1997; 25 (3): 1-2
- BDN 146 Karzai W, Meier-Hellmann A, Reinhart K.**  
Procalcitonin- An indicator of sepsis.  
in Yearbook of Intensive Care and Emergency Medicine 1998. Ed. J.-L. Vincent, Springer-Verlag 1998; 247
- BDN 148 Hatherill M, Jones G, Lim E, Tibby SM, Murdoch IA.**  
Procalcitonin aids diagnosis of adrenocortical failure  
The Lancet 1997; 35: 1749-1750
- BDN 151 Chiesa C, Panero A, Rossi N, Stegagno M, De Giusti M, Osborn JF, Pacifico L.**  
Reliability of Procalcitonin Concentrations for the Diagnosis of Sepsis in Critically III Neonates.  
Clin Infect Dis (1998); 26: 664-672
- BDN 153 Lapillonne A, Basson E, Monneret G, Bienvenu J, Salle BL.**  
Lack of specificity of procalcitonin for sepsis diagnosis in premature infants  
The Lancet 1998; 351: 1211-1212

- BDN 156 Bertsch T, Richter A, Hofheinz H, Böhm C, Hartel M, Aufenanger J.**  
 Procalcitonin - a new marker for the acute-phase reaction in acute pancreatitis  
 Langenbeck Arch Chir 1997; 382: 367-372
- BDN 157 Fabel H, Schulz A.**  
 Parameter zur Diagnose und Verlaufsbeurteilung von Infektionen in der Intensivmedizin. Intensivmed (1997); 34: 466-471
- BDN 173 Schwaner I et al. and Fekardt KU.**  
 Procalcitonin concentrations during high dose therapy with autologous stem cell rescue  
 Deutsche und österreichische Gesellschaft für Hämatologie und Onkologie. LINZ, 12-15 Oktober 1997 (Abstract)
- BDN 174 Reith HB, Mittelkötter U, Debus ES, Küssner C, Thiede A.**  
 Procalcitonin in early detection of postoperative complications  
 Dig Surg (1998); 15: 260-265
- BDN 175 Karzai W, Oberhoffer M, Meier-Hellmann A, Reinhart K.**  
 Procalcitonin - A New Indicator of the Systemic Response to Severe Infections  
 Infection 1997; 25 (6): 329-334
- BDN 176 Meisner M, Tschakowsky K, Schnabel S, Schmidt J, Katalinic A, Schüttler J.**  
 Procalcitonin - Influence of temperature, storage, anticoagulation and arterial or venous asservation of blood samples on procalcitonin concentrations  
 Eur J Clin Chem Clin Biochem 1997; 35 (8): 597-601
- BDN 177 Pahlke K, Oberhoffer M, Karzai W, Meier-Hellmann A, Reinhart K.**  
 Procalcitonin - Features of a new parameter in severe bacterial infections and sepsis Procalcitonin – Eigenschaften eines neuen Parameters bei schweren bakteriellen Infektionen und Sepsis.]  
 Intensivmed 1997; 34: 381-387
- BDN 178 Richard-Lenoble D et al. and Kombila M.**  
 Changes in procalcitonin and interleukin 6 levels among treated African patients with different clinical forms of malaria  
 Trans R Soc Trop Med Hyg 1997; 91: 305-306
- BDN 180 Kiessling AH, Isgro F, Tran KH, Saggau W.**  
 Procalcitonin serum levels in the postoperative phase after cardiac surgery  
 46th Annual Meeting Scand. Ass. For Thoracic Surgery (SATS), Sept. 1997, Stockholm
- BDN 185 Gerlach M, Keh D, Ahlers O, Kerner T, Spielmann S, Falke KJ, Gerlach H.**  
 Increased procalcitonin levels in polytrauma patients  
 Vienna Internat. Congress 1997; Anesthesiology & Intens. Care Med., Oct. 28-31: 335 (Abstract)
- BDN 203 Mimoz O, Benoist JF, Edouard AR, Assicot M, Bohuon C, Samii K.**  
 Procalcitonin and C-reactive protein during the early posttraumatic systemic inflammatory response syndrome  
 Intensive Care Med. 1998; 24: 185-188
- BDN 209 Stroehmann A, Cowell LG, Hiepe F, Krause A.**  
 Zum Stellenwert von Procalcitonin in der rheumatologischen Diagnostik  
 Med. Klinik 1998; 93: P-185 Abstract-Band1
- BDN 215 Schmidt J, Meisner M, Brucker A, Tschakowsky K.**  
 Procalcitonin modulates the LPS-induced production of cytokines in vitro  
 SHOCK Sixth Vienna Shock Forum, Vienna Austria  
 8-11.Nov.1997; 8 Suppl.: 29 (Abstract)
- BDN 217 Gendrel D.**  
 Biochemical markers in the diagnosis of bacterial meningitis. [Apport des données biochimiques dans le diagnostic des méningites purulentes communautaires.]  
 Méd Mal Infect 1996; 26: 1068-72
- BDN 227 Nylen ES, Whang KT, Snider RH, Steinwald PM, White JC, Becker KL.**  
 Mortality is increased by procalcitonin and decreased by an antiserum reactive to procalcitonin in experimental sepsis  
 Crit. Care Med. 1998; 26 (6): 1001-1006

- BDN 228 Ghillani PP et al. and Bellet D.**  
 Identification and measurement of calcitonin precursors in serum of patients with malignant diseases  
 Cancer Res. Dec. 1989; 49(23): 6845-51
- BDN 229 Braithwaite SS.**  
 Procalcitonin. Marker or Mediator?  
 Crit Care Med 1998; 26 (6): 977-978
- BDN 233 Brunkhorst FM, Heinz U, Forycki ZF,**  
 Kinetics of procalcitonin in iatrogenic sepsis  
 Intens. Care Med (1998) 24: 888-892
- BDN 234 Kilger E et al. and Frey L.**  
 Procalcitonin as a marker of systemic inflammation after conventional or minimally invasive coronary artery bypass grafting  
 Thorac. cardiovasc. Surgeon 1998, 46: 130-133
- BDN 235 Eberhard OK et al. and Brunkhorst R.**  
 Procalcitonin in the early phase after renal transplantation - will it add to diagnostic accuracy?  
 Clin. Transplantation 1998, 12: 206-211
- BDN 236 Hensel M, Volk T, Döcke WD, Kern F, Tschirna D, Egerer K, Konertz W, Kox WJ.**  
 Hyperprocalcitoninemia in patients with noninfectious SIRS and pulmonary dysfunction associated with cardiopulmonary bypass  
 Anesthesiology 1998, 89: 93-104
- BDN 237 Hammer C, Reichenspurner R, Meiser B, Reichart B.**  
 Cytoimmunology in monitoring: the Munich experience  
 Transplant. Proceed. 1998, 30: 873-874
- BDN 238 Kunz D, Pross M, König W, Lippert H, Manger T.**  
 Diagnostic relevance of procalcitonin, IL-6 and cellular immune status in the early phase after liver transplantation  
 Transplant. Proceed. 1998, 30: 2398-2399
- BDN 239 Chiesa C, Pacifico L, Mancuso G, Panero A.**  
 Procalcitonin in pediatrics: Overview and challenge  
 Infection 1998, 26(4): 236-241
- BDN 240 Lestin F, Lestin H-G, Burstein C, Anders O, Freund M.**  
 Provisional experience with procalcitonin, C- reactive protein, neopterin, selected cytokines, and hemostatic parameters in patients with malignant hematological diseases and febrile neutropenia induced by cytostatic treatment  
 Clin. Lab. 1998, 44: 451-461
- BDN 241 Oberhoffer M, Karzai W, Meier-Hellmann A, Reinhart K.**  
 Procalcitonin. Ein neuer diagnostischer Parameter bei schweren Infektionen und Sepsis  
 Anaesthesist 1998, 47: 581-587
- BDN 242 Snider RH, Nysten ES, Becker KL.**  
 Procalcitonin and its component peptides in systemic inflammation: Immunochemical characterization  
 J. Invest. Med. 1997: 45(9): 552-560
- BDN 243 Steinbach G, Grünert A.**  
 Procalcitonin - a new indicator for bacterial infections  
 Exp. Clin. Endocrinol. Diabetes 1998, 106: 164-167
- BDN 244 Moosig F, Csernok E, Reinhold-Keller E, Schmitt W, Gross WL.**  
 Elevated procalcitonin levels in active Wegener's granulomatosis  
 J. Rheumatol. 1998, 25(8): 1531-1533
- BDN 245 Schwenger V, Sis J, Breitbart A, Andrassy K.**  
 CRP levels in autoimmune disease can be specified by measurement of procalcitonin  
 Infection 1998, 26: 274-276

- BDN 246 Benoist J-F, mimoz O, Assicot M, Edouard A.**  
Serum procalcitonin, but not C-reactive protein, identifies sepsis in trauma patients  
Clin. Chem. 1998, 44(8): 1778-1779
- BDN 247 Hergert M, Lestin H-G, Scherkus M, Brinker K, Klett I, Stranz G, Lestin F.**  
Procalcitonin in patients with sepsis and polytrauma  
Clin. Lab. 1998, 44: 659-670
- BDN 248 Meisner M, Tschakowsky K, Hutzler A, Schick C, Schüttler J.**  
Postoperative plasma concentrations of procalcitonin after different types of surgery  
Intensive Care Med. 1998, 24: 680-684
- BDN 249 Oczenski W, Fitzgerald RD, Schwarz S.**  
Procalcitonin: a new parameter for the diagnosis of bacterial infection in the peri-operative period  
Eur. j. Anaesthesiol. 1998, 15: 202-209
- BDN 250 Oezcuereuemez-Porsch M et al. and Kloer HU.**  
Diagnostic relevance of interleukin pattern, acute-phase proteins, and procalcitonin in early phase of post-ERCP pancreatitis  
Dig. Dis. Sci. 1998, 43(8): 1763-1769
- BDN 251 Brunkhorst FM, Eberhard OK, Brunkhorst R.**  
Early identification of biliary pancreatitis with procalcitonin  
Am. J. Gastroenterol. 1998, 93(7): 1191-1192
- BDN 252 Benador N et al. and Girardin E.**  
Procalcitonin is a marker of renal lesions in pyelonephritis  
Pediatrics 1998, 102(6): 1422-1425
- BDN 253 Gendrel D et al. and Bohuon C.**  
Procalcitonin, C-reactive protein and interleukin 6 in bacterial and viral meningitis in children [Procalcitonine, protéine C-réactive et interleukine 6 dans les méningites bactériennes et virales de l'enfant]  
Presse Med. 1998, 27(23): 1135-1139
- BDN 254 Karzai W, Reinhart K.**  
Sepsis: definitions and diagnosis  
Int J Clin Pract Suppl 1998, 95: 448-449
- BDN 255 Boeken U et al. and Gams E.**  
Diagnostic value of procalcitonin: the influence of cardiopulmonary bypass, aprotinin, SIRS, and sepsis  
Thorac Cardiovasc Surg 1998, 46(6): 348-351
- BDN 256 Pross M, Manger Th, Weiss G, Lippers H, König W, Kunz D.**  
The diagnostic value of procalcitonin and IL-6 in combination with the cellular immune status for the therapeutic management after liver transplantation (in German)  
Tx Med 1998, 10: 195-201
- BDN 257 Sachse C, Dressler F, Henkel E**  
Increased serum procalcitonin in newborn infants without infection  
Clin Chem 1998, 44 (6 Pt 1): 1343-1344
- BDN 258 Gendrel D.**  
Urinary tract infection and biological markers: C-reactive protein, interleukins and procalcitonin (in French)  
Arch Pediatr 1998, 5(Suppl3): 269S-273S
- BDN 259 Hollenstein U et al. and Burgmann H.**  
Serum procalcitonin levels in severe Plasmodium falciparum malaria  
Am J Trop Med Hyg 1998, 59(6): 860-863
- BDN 260 Monneret G, Laroche B, Bienvenu**  
Procalcitonin is not produced by circulating blood cells  
Infection 1998, 27(1): 34-35
- BDN 261 Benoist JF, Mimoz O, Assicot M.**  
Procalcitonin in severe trauma (in French)  
Ann Biol Clin (Paris) 1998; 56(5): 571-574

- BDN 262 von Heimburg D, Stieghorst W, Khorram-Sefat R, Pallua N.**  
Procalcitonin--a sepsis parameter in severe burn injuries  
Burns 1998, 24(8): 745-750
- BDN 263 Petzold L et al. and Porquet D.**  
Determination of procalcitonin in the diagnosis of maternal-fetal infections (in French)  
Ann Biol Clin (Paris) 1998, 56(5): 599-602
- BDN 264 Bernard L, Ferriere F, Casassus P, Malas F, Leveque S, Guillevin L, Lortholary O.**  
Procalcitonin as an early marker of bacterial infection in severely neutropenic febrile adults  
Clin Infect Dis 1998, 27(4): 914-915
- BDN 265 Lawn SD, Obeng J, Acheampong J W, Griffin GE.**  
Serum procalcitonin concentrations in patients with pulmonary tuberculosis  
Trans R Soc Trop Med Hyg 1998, 92(5): 540-541
- BDN 266 Bohuon C, Assicot M, Raymond J, Gendrel D.**  
Procalcitonin, a marker of bacterial meningitis in children (in French)  
Bull Acad Natl Med 1998, 182(7): 1469-1475
- BDN 267 Monneret G, Labaune JM, Isaac C, Bienvenu F, Putet G, Bienvenu J.**  
Increased serum procalcitonin levels are not specific to sepsis in neonates [letter]  
Clin Infect Dis 1998, 27(6): 1559-1561
- BDN 268 Bohuon C, Gendrel D.**  
Procalcitonin: A new indicator for bacterial infections. interest and perspectives  
Arch Pédiatr 1999, 6: 141-144
- BDN 269 Hammer S et al. and Hammer C.**  
Procalcitonin: a new marker for diagnosis of acute rejection and bacterial infection in patients after heart and lung transplantation  
Transplant Immunology 1998, 6: 235-241
- BDN 270 Schröder J, Staubach K-H, Zabel P, Stüber F, Kremer B.**  
Procalcitonin as a marker of severity in septic shock  
Langenbecks Arch Surg 1999, 384: 33-38
- BDN 271 Meisner M.**  
Procalcitonin (PCT)  
in: Clinical Laboratory Diagnostics. Use and Assessment of Clinical Laboratory Results, L.Thomas (ed), 1st edition, TH-Books 1998, pp.710-714
- BDN 272 Reinhart K, Karzai W.**  
Re: Procalcitonin: a new parameter for the diagnosis of bacterial infection in the perioperative period.  
Oczenski et al., Eur J Anaesthesiol 1998; 15: 129-132 [letter]  
Eur J Anaesthesiol 1998, 15(5): 618-619
- BDN 288 Whang KT et al. and Becker KL.**  
Serum calcitonin precursors in sepsis and systemic inflammation  
J Clin Endocrinol Metab 1998, 83(9): 3296-3301
- BDN 293 Martin-Denavit T et al. and Bienvenu J.**  
Usefulness of Procalcitonin in neonates at risk for infection (letter)  
Clin Chem 1999, 45(3): 440-441
- BDN 294 Sachse C, Dressler F, Henkel E.**  
Re: Usefulness of procalcitonin in neonates at risk for infection. Martin-Denavit T. et al. Clin Chem 1999, 45(3). 441
- BDN 302 Moosig F, Reinhold-Keller E, Csernok E, Gross WL.**  
Limitations on the usefulness of procalcitonin as a marker of infection in patients with systemic autoimmune disease: comment on the article by Eberhard et al [letter; comment]  
Arthritis Rheum 1998, 41(3): 566-567
- BDN 303 Espinosa-Morales R, Escalant, A.**  
Use of procalcitonin as a diagnostic test: Comment on the article by Eberhard et al [letter; comment]  
Arthritis Rheum 1998, 41(3): 567-568

- BDN 304 Mittelkötter U, Reith HB.**  
 Procalcitonin im Infektionsmanagement  
 Krankenhaus Spezial "Peritonitis", Reed Elsevier 1998, pp: 14-15
- BDN 313 Oberhoffer M, Vogelsang H, Jäger L, Reinhart K.**  
 Katalcalcin and calcitonin immunoreactivity in different types of leukocytes indicate intracellular procalcitonin content  
 J. Crit Care 1999, 14(1): 29-33
- BDN 314 Al-Nawas B, Shah PM.**  
 Procalcitonin, a new diagnostic and prognostic marker for severe infections  
 Clin Micorbiol Infect 1998, 4(5): 237-241
- BDN 315 Oberhoffer M, Vogelsang H, Rußwurm S, Hartung T, Reinhart K.**  
 Outcome prediction by traditional and new markers of inflammation in patients with sepsis  
 Clin Chem Lab 1999, 37(3): 363-368
- BDN 316 Meisner M.**  
 [Procalcitonin: Experience with a new diagnsotic tool for bacterial infection and systemic inflammation]  
 [in German]  
 J Lab Med 1999, 23(5): 263-272
- BDN 317 Ugarte H, Silva E, Mercan D, De Mendonca A, Vincent J-L.**  
 Procalcitonin used as a marker of infection in the intensive care unit  
 Crit Care Med 1999, 27(2): 498-504
- BDN 318 Pugin J, Widmer M-C, Kossodo S, Liang C-M, Preas II HL, Suffredini AF.**  
 Human neutrophils secrete gelatinase B in vitro and in vivo in response to endotoxin and proinflammatory mediators  
 Am J Respir Cell Mol Biol 1999, 20: 458-464
- BDN 319 Carlstedt F, Lind L, Joachimsson PO, Rastad J, Wide L, Ljunghall S.**  
 Circulating ionized calcium and parathyroid hormone levels following coronary artery by-pass surgery  
 Scand. J. Clin. Lab. Invest. 1999, 59: 47-54
- BDN 322 Beaune G, Bienvenue F, Pondarré C, Monneret G, Benvienu J, Souillet G.**  
 Serum procalcitonin rise is only slight in two cases of disseminated aspergillosis  
 Infection 1998, 26(3): 168-169
- BDN 326 Rothenburger M et al. and Weinhold C.**  
 Detection of acute phase response and infection. The role of procalcitonin and C-reactive protein  
 Clin. Chem. Lab. Med. 1999, 37(3): 275-279
- BDN 327 Engel A, Steinbach G, Kern P, Kern WV.**  
 Diagnostic value of procalcitonin serum levels in neutropenic patients with fever: Comparison with interleukin 8  
 Scand. J. Infect. Dis. 1999, 31: 185-189
- BDN 328 Viallon A, Zeni F, Lambert C, Pozzetti B, Tardy B, Venet C, Bertrand J-C.**  
 High sensitivity and specificity of serum procalcitonin levels in adults with bacterial meningitis  
 Clin. Infect. Dis. 1999, 28: 1313-1316
- BDN 329 Russwurm S, Oberhoffer M, Zipfel PF, Reinhart K.**  
 Procalcitonin - a novel biochemical marker for the mediator-directed therapy of sepsis  
 Mol. Med. Today 1999, 5: 286-287
- BDN 330 Ruokonen E, Nousiainen T, Pulkki K, Takala J.**  
 Procalcitonin concentrations in patients with neutropenic fever  
 Eur. J. Microbiol. Infect. Dis. 1999, 18: 283-285
- BDN 331 Tollens M, Westerholt S, Oberhoffer M, Klare B, Emmrich P, Oberhoffer R.**  
 Procalcitonin bei Kindern mit hämolytisch-urämischem Syndrom (HUS)  
 Monatsschr. Kinderheilkd 1999, 147(4): 373-376

- BDN 332 Oberhoffer M et al. and Reinhart K.**  
 Procalcitonin expression in human peripheral blood mononuclear cells and its modulation by lipopolysaccharides and sepsis-related cytokines in vitro  
 J. Lab. Clin. Med. 1999, 134(1): 49-55
- BDN 333 Steinwald PM, Whang KT, Becker KL, Snider RH, Nysten ES, White JC**  
 Elevated calcitonin precursor levels are related to mortality in an animal model of sepsis  
 Crit. Care 1999, 3: 11-16
- BDN 334 Mironov PI, Rudnov VA.**  
 [Problems and perspective approaches to correction of mediator response in sepsis]  
 (Review, Russian)  
 Anesteziol Reanimatol. 1999 May-Jun;(3):54-9
- BDN 335 Oberhoffer M, Karzai W, Meier-Hellmann A, Bögel D, Faßbinder J, Reinhart K.**  
 Sensitivity and specificity of various markers of inflammation for the prediction of tumor necrosis factor- $\alpha$  and interleukin-6 in patients with sepsis  
 Crit. Care Med. 1999, 27: 1814-1818
- BDN 336 Silomon M, Bach F, Graeter T, Grundmann U, Larsen R.**  
 [Procalcitonin following cardiopulmonary bypass. Origin from hepatosplanchnicus?] [German]  
 Anaesthesist 1999, 48: 395-398
- BDN 337 Bossink AWJ, Groeneveld ABJ.**  
 Prediction of microbial infection and mortality in medical patients with fever: plasma procalcitonin, neutrophilic elastase-1-antitrypsin, and lactoferrin compared with clinical variables  
 Clin. Infect. Dis. 1999, 29: 398-407
- BDN 338 Members of the American Association of Chest Physicians/ Society of Critical Care Medicine Consensus Conference Committee**  
 American College of Chest Physicians/ Society of Critical Care Medicine Consensus Conference: Definitions for sepsis and organ failure and guidelines for the use of innovative therapies in sepsis  
 Crit. Care Med. 1992, 20(6): 864-874
- BDN 339 Whang KT, Vath SD, Nysten ES, Muller B, Qichang Li, Tamarkin L, White JC.**  
 Procalcitonin and proinflammatory cytokine interactions in sepsis  
 Shock 1999, 12(4): 268-273
- BDN 340 Gendrel D et al. and Bohuon C.**  
 Comparison of procalcitonin with C-reactive protein, interleukin 6 and interferon alpha for differentiation of bacterial vs viral infections  
 Pediatr. Infect. Dis. 1999, 18: 875-881
- BDN 341 Jaresová M, Striz I, Cermaková, Lácha J, Sedláček J, Mudra K, Hána I, Vitko S.**  
 Serum procalcitonin in transplant patients with acute rejection and bacterial infections  
 Immunology Letters 1999, 69: 355-358
- BDN 342 Erren M et al. and Cullen P.**  
 Systemic inflammatory parameters in patients with atherosclerosis of the coronary and peripheral arteries  
 Arterioscler. Thromb. Vasc. Biol 1999, 19: 2355-2363
- BDN 343 Dalton H.**  
 Procalcitonin: A predictor of lung injury attributable to sepsis?  
 Crit. Care Med. 1999, 27(10): 2304-2305
- BDN 344 Brunkhorst FM, Eberhard OK, Brunkhorst R.**  
 Discrimination of infectious and noninfectious causes of early respiratory distress syndrome by procalcitonin  
 Crit. Care Med. 1999, 27(10): 2172-2176
- BDN 345 Brunkhorst FM, Clark AL, Forycki ZF, Anker SD.**  
 Pyrexia, procalcitonin, immune activation and survival in cardiogenic shock: the potential importance of bacterial translocation  
 Int. J. Cardiol. 1999, 72: 3-10

- BDN 346 Loebe M, Lodziewski S, Brunkhorst FM, Harke C, Hetzer R.**  
 Procalcitonin (PCT) in cardiac surgery  
 in: Current perspectives of the extracorporeal circulation, D. Baykut, A.Krian (eds),  
 Darmstadt: Steinkopf, New York: Springer 2000, ISBN: 3-7985-1214-0  
 pp. 127-135
- BDN 347 Hatherill M, Tibby M, Sykes K, turner C, Murdoch IA.**  
 Diagnostic markers of infection: comparison of procalcitonin with C reactive protein and leukocyte count  
 Arch Dis Child 1999, 81: 417-421
- BDN 348 Loebe M, Lodziewski S, Qedra N, Brunkhorst FM, Wagner F, Hetzer R.**  
 Der Infektionsmarker Procalcitonin in der Herzchirurgie  
 Z. Herz- Thorax- Gefäßchir 1999, 13: 215-220
- BDN 349 Russwurm S, Wiederhold M, Oberhoffer M, Stonans I, Zipfel PF, Reinhart K.**  
 Molecular aspects and natural source of procalcitonin  
 Clin Chem Lab Med. 1999, 37(8): 789-797
- BDN 350 Nishikura T.**  
 The clearance of procalcitonin (PCT) during continuous veno- venous hemofiltration (CVHD)  
 Int. Care Med. 1999, 25: 1198-1201
- BDN 351 Nakae H, Inaba H, Endo S.**  
 Usefulness of procalcitonin in Pseudomonas burn wound sepsis model  
 Tohoku J. Exp. Med. 1999, 188: 271-273
- BDN 352 Kuse ER, Langefeld I, Jaeger K, Külpmann WR**  
 Procalcitonin in fever of unknown origin after liver transplantation: A variable to differentiate acute  
 rejection from infection  
 Crit. Care Med. 2000, 28(2): 555-559
- BDN 353 Hammer S, Fraunberger P, Meiser B, Stangl M, Seidel D, Hammer C.**  
 Procalcitonin, a new indicator for non-viral infections in heart, lung or liver transplant patients  
 Ann. Transplant. 1999, 4(2): 5-9
- BDN 354 Hammer S, Meisner F, Hammer C, Seidel D.**  
 Use of procalcitonin as indicator of nonviral infections in transplantation and related immunologic diseases  
 Transplant. Reviews 2000, 14(1): 52-63
- BDN 355 Meisner M, Rotgeri A, Brunkhorst FM**  
 [A semi-quantitative point-of-care test for the measurement of procalcitonin] [in German]  
 J. Lab. Med. 2000, 24(2): 076-085
- BDN 356 Reinke P, Döcke WD, Kox W, Zuckermann H, Volk HD**  
 Neue Entwicklungen der Immundiagnostik intensivmedizinischer Patienten  
 Dtsch. med. Wschr. 1999, 124: 1527-1529
- BDN 357 Lorrot M et al. and Gendrel D**  
 [Procalcitonin in pediatric emergency situations: comparison with C-reactive protein, interleukin 6 and alpha  
 interferon for differentiating bacterial and viral infections] [in French]  
 Presse Med. 2000, 29: 128-134
- BDN 358 Hatherill M, Sykes K, McIntyre AG, Murdoch IA**  
 Procalcitonin may help differentiate disseminated herpes simplex viral infection from bacterial sepsis in  
 neonates  
 Eur. J. Pediatr. 2000, 159: 168-169
- BDN 359 Reinhart K, Carlet J**  
 Procalcitonin – a new marker of severe infection and sepsis [Editorial]  
 Intensive Care Med. 2000, 26(Suppl 2): S145
- BDN 360 Bohuon C.**  
 A brief history of procalcitonin  
 Intensive Care Med. 2000, 26(Suppl 2): S146-147

- BDN 361 Brunkhorst FM, Wegscheider K, Forycki ZF, Brunkhorst R**  
 Procalcitonin for early diagnosis and differentiation of SIRS, sepsis, severe sepsis, and septic shock  
*Intensive Care Med.* 2000, 26(Suppl 2): S148-152
- BDN 362 Cheval C et al. and Carlet J**  
 Procalcitonin (PCT) is useful in predicting the bacterial origin of an acute circulatory failure in critically ill patients  
*Intensive Care Med.* 2000, 26(Suppl 2): S153-158
- BDN 363 Rau B, Steinbach G, Baumgart K, Gansauge F, Grünert A, Beger HG**  
 The clinical value of procalcitonin in the prediction of infected necrosis in acute pancreatitis  
*Intensive Care Med.* 2000, 26(Suppl 2): S159-164
- BDN 364 Reith HB, Mittelkötter U, Wagner R, Thiede A**  
 Procalcitonin (PCT) in patients with abdominal sepsis  
*Intensive Care Med.* 2000, 26(Suppl 2): S165-169
- BDN 365 Oberhoffer M, Rußwurm S, Bredle D, Chatzinicolaou, Reinhart K**  
 Discriminative power of inflammatory markers for prediction of tumor necrosis factor- and interleukin-6 in ICU patients with systemic inflammatory response syndrome (SIRS) or sepsis at arbitrary time points  
*Intensive Care Med.* 2000, 26(Suppl 2): S170-174
- BDN 366 Chiesa C, Pacifico L, Rossi N, Panero A, Matrunola M, Mancaso G**  
 Procalcitonin as a marker of nosocomial infections in the neonatal intensive care unit  
*Intensive Care Med.* 2000, 26(Suppl 2): S175-177
- BDN 367 Gendrel D, Bohuon C**  
 Procalcitonin in pediatrics for differentiation of bacterial and viral infections  
*Intensive Care Med.* 2000, 26(Suppl 2): S178-181
- BDN 368 Hammer S et al. and Hammer C**  
 Procalcitonin for differential diagnosis of graft rejection and infection in patients with heart and/or lung grafts  
*Intensive Care Med.* 2000, 26(Suppl 2): S182-186
- BDN 369 Kuse ER, Langefeld I, Jaeger K, Külpmann WR**  
 Procalcitonin – a new diagnostic tool in complications following liver transplantation  
*Intensive Care Med.* 2000, 26(Suppl 2): S187-192
- BDN 370 Loebe M, Locziewski S, Brunkhorst FM, Harke C, Hetzer R**  
 Procalcitonin in patients undergoing cardiopulmonary bypass in open heart surgery - first results of the procalcitonin in heart surgery study (ProHearts)  
*Intensive Care Med.* 2000, 26(Suppl 2): S193-198
- BDN 371 Brunkhorst R, Eberhard OK, Haubitz M, Brunkhorst FM**  
 Procalcitonin for discrimination between activity of systemic autoimmune disease and systemic bacterial infection  
*Intensive Care Med.* 2000, 26(Suppl 2): S199-201
- BDN 372 Fleischhack G, Cipic D, Juettner J, Hasan C, Bode U**  
 Procalcitonin – a sensitive inflammation marker of febrile episodes in neutropenic children with cancer  
*Intensive Care Med.* 2000, 26(Suppl 2): S202-211
- BDN 373 Meisner M, Schmidt J, Hüttner H, Tschakowsky K**  
 The natural elimination rate of procalcitonin in patients with normal and impaired renal function  
*Intensive Care Med.* 2000, 26(Suppl 2): S212-216
- BDN 374 Herrmann W, Ecker D, Quast S, Kliesen M, Rose S, Marzi I**  
 Comparison of procalcitonin, sCD14 and interleukin-6 values in septic patients  
*Clin Chem Lab Med* 2000, 38(1): 41-46
- BDN 375 Hammer S, Meisner F, Beiras-Fernandez, Meiser B, Fraunberger P, Hammer C**  
 [Procalcitonin: a new marker for the diagnosis of organ rejection and bacterial infections in patients receiving heart and lung transplants] [in Spanish]  
*Transplantes* 1999, 5:26-32

- BDN 376 Wiedermann F, Innerhofer P, Margreiter J, Fuchs D, Schobersberger W**  
 Procalcitonin and neopterin in infectious diseases  
 Pteridines 1999, 10: 125-132
- BDN 377 Meisner M**  
 Procalcitonin (PCT) Ein neuer, innovativer Infektionsparameter. Biochemische und klinische Aspekte  
 ISBN: 3-13-105473-5, Thieme Stuttgart, New York 2000
- BDN 378 Wrenger S, Kähne T, Bohuon C, Weglöhner W, Ansorge S, Reinhold D.**  
 Amino-terminal truncation of procalcitonin, a marker for systemic bacterial infections, by dipeptidyl  
 peptidase IV (DP IV)  
 FEBS Letters 2000, 466: 155-159
- BDN 379 Price S, Evans T.**  
 Bacterial translocation in cardiogenic shock: the gastrointestinal tract as the motor of sepsis?  
 Int. J. Cardiol. 1999, 72:11-12
- BDN 380 Stoiser B et al. and Burgmann H.**  
 Serum concentrations of granulocyte-colony stimulating factor in complicated falciparum malaria  
 Eur. Cytokine News 2000, 11(1): 75-79
- BDN 381 Südhoff T, Giagounidis A, Karthaus M.**  
 Evaluation of neutropenic fever: Value of Serum and Plasma Parameters in Clinical Practice  
 Chemotherapy 2000, 46: 77-85
- BDN 382 Müller CA, Uhl W, Printzen G, Gloor B, Bischofberger H, Tcholakov O, Büchler MW**  
 Role of procalcitonin and granulocyte colony stimulating factor in the early prediction of infected necrosis in  
 severe acute pancreatitis  
 Gut 2000, 46: 233-238
- BDN 383 Korczowska E.**  
 Diagnostic usefulness of procalcitonin in internal medicine  
 Polski Merkuriusz Lekarski 1999, VII(42): 251-252
- BDN 384 Aouifi A et al. and Lehot JJ.**  
 Effect of cardiopulmonary bypass on serum procalcitonin and C-reactive protein concentrations  
 Brit. J. Anaesth. 1999, 83(4): 602-607
- BDN 385 Rüchardt A, Lydtin H.**  
 Morbus Still des Erwachsenen  
 DMW 1999, 124(50): 1541
- BDN 386 Gürlich R, Maruna P, Cermak J.**  
 [Use of procalcitonin in surgery] [in Czech]  
 Rozhl. Chir. 1999, 78(6): 292-294
- BDN 387 Ferriere F.**  
 Procalcitonin, a new marker for severe infections [in French]  
 Ann. Biol. Clin. 2000, 58(1): 49-59
- BDN 388 Lind L et al. and Ljunghall S.**  
 Hypocalcemia and parathyroid hormone secretion in critically ill patients  
 Crit Care Med 2000, 28 (1): 93-99
- BDN 389 Wanner GA., Keel M, Steckholzer U, Beier W, Stocker R, Ertel W.**  
 Relationship between procalcitonin plasma levels and severity of injury, sepsis, organ failure, and mortality  
 in injured patients  
 Crit Care Med 2000, 28 (4): 950-957
- BDN 390 Müller B et al. and Ritz R.**  
 Calcitonin precursors are reliable markers of sepsis in a medical intensive care unit  
 Crit Care Med 2000, 28(4): 977-983
- BDN 391 Kettelhack C, Hohenberger P, Schulze G, Kilpert B, Schlag P.**  
 Introduction of systemic serum procalcitonin and cardiocirculatory reactions after isolated limb perfusion  
 with recombinant human tumor necrosis factor- and melphalan  
 Crit Care Med 2000, 28 (4): 1040-1046

- BDN 392 Boucher BA.**  
Procalcitonin: Clinical tool or laboratory curiosity?  
Crit Care Med 2000, 28(4): 1224-1225
- BDN 393 Vincent JL**  
Procalcitonin: THE marker of sepsis?  
Crit Care Med 2000, 28 (4): 1226-1227
- BDN 394 Tamás S, Zsolt M, Tamás k, Miklós T.**  
[Inflammatory markers in the early postoperative period following oesophagectomies] [in Hungarian]  
Orvosi Hetilap 2000, 141(10):489-492
- BDN 395 V. Zarka, Valat C, Lemarié E, Carré Ph, Besnard JC, Diot P.**  
[Serum calcitonin and respiratory tract infection] [in French]  
Rev. Pneumol. Clin., 1999, 55 (6): 365-369
- BDN 396 Viallon A et al. and Bertrand JC**  
[Rapid differential diagnosis between bacterial and viral meningitis with serum procalcitonin assay in adult]  
[in French]  
Presse Med 2000, 29: 584-588
- BDN 397 Petros S, Leonhardt U, Engelmann L.**  
Serum Procalcitonin and Proinflammatory Cytokines in a Patient with Acute Severe Leptospirosis  
Scand J Infect Dis 2000, 32: 104-105
- BDN 398 Melzi d'Eril GV, Merlini G, Finazzi G, Bosoni T, Barakat B, Pezzilli R.**  
Procalcitonin is not a reliable marker for the assessment of Severity in Acute Pancreatitis without Infectious Complications  
Clinical Chemistry 2000, 46 (3):428-430
- BDN 399 M. Sauer M, Tiede K, Volland R, Fuchs D, Zintl F.**  
[Procalcitonin and C-reactive protein: Comparison of two markers for sepsis-syndrom in severely immunocompromised children after bone-marrow transplantation] [in German]  
Klin Pädiatr 2000, 212:10-15
- BDN 400 Rußwurm S, Wiederhold M, Oberhofer M, Stonans I, Peiker G, Reinhart K.**  
[Procalcitonin as monocyte marker for early diagnosis of septic abortion] [in German]  
Z Geburtsh Neonatol 2000, 204: 34-38
- BDN 401 Nijsten M et al. and Zwaveling JH.**  
Procalcitonin behaves as a fast responding acute phase protein in vivo and in vitro  
Crit Care Med 2000, 28 (2): 458-461
- BDN 402 Delmas J et al. and Bienvenu J.**  
[Procalcitonin and C-reactive protein kinetics in neonates with group B s] [in French]  
Ann Biol Clin 2000, 58: 208-11
- BDN 403 Angus, DC, Linde-Zwirble WT, Lidicker J, Clermont G, Carcillo J, Pinsky MR.**  
Epidemiology of severe sepsis in the United States: analysis of incidence, outcome, and associated costs of care  
Crit Care Med. 2001, 29(7): 1303-1310
- BDN 404 Hedlund J, Hansson LO.**  
Procalcitonin and C-Reactive Protein Levels in Community-Acquired Pneumonia: Correlation with Etiology and Prognosis  
Infection 28, 2000, No. 2 : 68-73
- BDN 405 Schmidt M, Burchardi C, Sitter T, Held E, Schiffel H.**  
Procalcitonin in Patients Undergoing Chronic Hemodialysis  
Nephron 2000, 84: 187-188
- BDN 406 Braithwaite S.**  
Procalcitonin: New insights on regulation and origin  
Crit Care Med 2000, 28 (2): 586-588

- BDN 407 Meisner M, Tschaikowsky K, Palmaers T, Schmidt J.**  
 Comparison of procalcitonin (PCT) and C-reactive protein (CRP) plasma concentrations at different SOFA scores during the course of sepsis and MODS  
 Critical Care 1999, 3(1): 45-50
- BDN 408: Meisner M.**  
 Procalcitonin (PCT) A new, innovative infection parameter. Biochemical and clinical aspects  
 ISBN: 3-13-105503-0, Thieme Stuttgart, New York 2000
- BDN 409 Schwarz S, Bertram M, Schwab S, Andrassy K, Hacke W.**  
 Serum procalcitonin levels in bacterial and abacterial meningitis  
 Crit.Care Med 2000, 28(6): 1828-1832
- BDN 410 Hatherill M, Tibby SM, Turner C, Ratnavel N, Murdoch IA**  
 Procalcitonin and cytokine levels: Relationship to organ failure and mortality in pediatric septic shock  
 Crit. Care Med. 2000, 28(7): 2591-2594
- BDN 411 Gendrel D., Bohuon C.**  
 Procalcitonin as a marker of bacterial infection  
 Pediatr. Infect. Dis. J. 2000, 19: 679-688
- BDN 412 Whang KT et al. and White JC.**  
 Procalcitonin and proinflammatory cytokine interactions in sepsis  
 Shock, 2000, 14(1): 73-78
- BDN 413 Selberg O, Hecker H, Martin M, Klos A, Bautsch W, Köhl J.**  
 Discrimination of sepsis and systemic inflammatory response syndrome by determination of circulating plasma concentrations of procalcitonin, protein complement 3a, and interleukin-6  
 Crit. Care Med. 2000, 28(8): 2793-2798
- BDN 414 Vincent JL and Mercan D.**  
 Dear Sirs, what is your PCT?  
 Intensive Care Med. 2000, 26: 1170-1171
- BDN 415 Adamik B, Kübler-Kielb J, Golebiovska B, Gamian A, Kübler A.**  
 Effect of sepsis and cardiac surgery with cardiopulmonary bypass on plasma level of nitric oxide metabolites  
 Intensive Care Med. 2000, 26(9):1259-67.
- BDN 416 Reinhart K, Karzai W, Meisner M.**  
 Procalcitonin as a marker of the systemic inflammatory response to infection  
 Intensive Care Med. 2000,
- BDN 417 Wichert A, Lukasewitz P, Hauser MH, Bittersohl J, Lennartz H.**  
 ARDS in fulminant ornithosis and treatment with extracorporeal lung assist  
 Int. J. Artif. Organs 2000, 23(6): 371-374
- BDN 418 Toikka P, Irjala K, Juven T, Virkki R, Mertsola J, Leinonen M, Ruuskanen O.**  
 Serum procalcitonin, C-reactive protein and interleukin-6 for distinguishing bacterial and viral pneumonia in children  
 Pediatr. Infect. Dis. 2000, 19(7): 598-602
- BDN 424 Aouifi A et al. and Lehot J**  
 Usefulness of procalcitonin for diagnosis of infection in cardiac surgical patients  
 Critical Care Medicine 2000, 28(9): 3171-3176
- BDN 425 Suprin E, Camus C, Gacouin A, Le Tulzo Y, Lavoune S, Feuillu A, Thomas R.**  
 Procalcitonin: a valuable indicator of infection in a medical ICU?  
 Intensive Care Med. 2000 , 26(9): 1232-8
- BDN 426 de Bont E, Kamps W, Vellenga E, Swaanenburg J.**  
 Procalcitonin: A Diagnostic Marker of Bacterial Infection in Neutropenic Cancer Patients with Fever?  
 Infection 2000, 28(6): 398-400

- BDN 427 Bortone AS et al. and de Luca Tupputi Schinosa L.**  
 Inflammatory response and angiogenesis after percutaneous transmyocardial laser revascularization  
 Ann Thorac Surg 2000, 70: 1134-1138
- BDN 428 Maruna P, Nedelnikova R, Gürlich R.**  
 Physiology and Genetics of procalcitonin  
 Physiol. Res. 2000, 49(Suppl.1): S57-S61
- BDN 429 Andrassy K, Hänsch G.**  
 [Vasculitis 1998: New insights into diagnosis and therapy] [in German]  
 WMW 2000, 11: 230-232
- BDN 430 Molnar Z.**  
 Microalbuminuria and serum procalcitonin levels following oesophagotomy  
 Eur. J. Anaesthesiol. 2000, 17: 464-465
- BDN 431 Viallon A et al. and Bertrand J-C-**  
 Serum and ascitic procalcitonin levels in patients with spontaneous bacterial peritonitis: diagnostic value and relationship to proinflammatory cytokines  
 Intensive Care Med. 2000, 26: 1082-1088
- BDN 432 Guerin S.**  
 Evaluation of procalcitonin detection by immunochromatography: the PCT-Q test of BRAHMS  
 Ann. Biol. Clin. 2000, 58: 613-614
- BDN 433 Penel N, Degardin M, Fripiat F, Hachulla E.**  
 Are there criteria for the diagnosis of paraneoplastic fever?  
 Rev. Med. Interne 2000, 21: 684-692
- BDN 434 Bitkover K, Hansson L-O, Valen G, Vaage J.**  
 Effects of cardiac surgery on some clinically used inflammation markers and procalcitonin  
 Scand. Cardiovasc. 2000, 34: 307-314
- BDN 435 Bonac B, Derganc M, Wraber B, Hojker S.**  
 Interleukin-8 and procalcitonin in early diagnosis of early severe bacterial infection in critically ill neonates  
 Pflügers Arch. – Eur. J. Physiol. 2000, 440(Suppl): R72-R74
- BDN 436 Assumma M, Signore F, Pacifico L, Rossi N, Osborn JF, Chiesa C.**  
 Serum procalcitonin concentrations in term delivering mothers and their healthy offspring: A longitudinal study.  
 Clin. Chem. 2000, 46(10): 1583-1587
- BDN 437 Choussat R et al. and Thomas D.**  
 Effect of prior exposure to chlamydia pneumoniae, helicobacter pilory, or cytomegalovirus on the degree of inflammation and one- year prognosis of patients with unstable angina pectoris or non-Q-wave acute myocardial infarction  
 Am. J. Cardiol. 2000, 86: 379-384
- BDN 438 Marchini G, Berggren V, Djilali-Merzoug R, Hansson L-O.**  
 The birth process initiates an acute phase reaction in the fetus-newborn infant  
 Acta Paediatr. 2000, 89: 1082-1086
- BDN 439 Boeken U, Feindt P, Micek M, schulte HD, Gams E.**  
 Procalcitonin (PCT) in cardiac surgery: diagnostic value in systemic inflammatory response syndrome (SIRS), sepsis and after heart transplantation (HTX)  
 Cardiovasc. Surg. 2000, 8(7): 550-554
- BDN 440 Meisner M, Brunkhorst FM, Reith HB, Schmidt J, Lestin HG, Reinhart K.**  
 Clinical experiences with a new, semiquantitative solid phase immunoassay for rapid measurement of procalcitonin  
 Clin. Chem. Lab. Med. 2000, 38(10): 989-995
- BDN 441 Redl H, Schlag G, Tögel E, Assicot M, Bohuon C.**  
 Procalcitonin release pattern in a baboon model of trauma and sepsis: Relationship to cytokines and neopterin.  
 Crit. Care 2000, 28(11): 3659-3663

- BDN 442 Meisner M, Hüttemann E, Lohs T, Kasakov L, Reinhart K.**  
Elimination of procalcitonin and plasma concentrations during continuous veno-venous haemodiafiltration in septic patients.  
Eur. J. Anaesthesiol. 2000, 17: 665-671
- BDN 443 Kylänpää-Bäck M-L et al. and Repo H.**  
Procalcitonin, soluble interleukin-2 receptor, and soluble E-selectin in predicting the severity of acute pancreatitis  
Crit. Care Med 2001, 29(1): 63-69
- BDN 444 Hoffmann G, Totzke G, Seibel M, Smolny M, Wiedermann F.J, Schobersberger W.**  
In vitro modulation of inducible nitric oxide synthase gene expression and nitric oxide synthesis by procalcitonin  
Crit. Care Med 2001, 29(1): 112-116
- BDN 445 Kisson N.**  
Modulating nitric oxide synthesis: Another contender enters the ring  
Crit. Care Med 2001, 29(1): 214-215
- BDN 446 Fleischhack G, Kambeck I, Cipic D, Hasan C, Bode U.**  
Procalcitonin in paediatric cancer patients: its diagnostic relevance is superior to that of C-reactive protein, interleukin 6, interleukin 8, soluble interleukin 2 receptor and soluble tumour necrosis factor receptor II  
British Journal of Haematology 2000, 111: 1093-1102
- BDN 447 Sachse C, Machens H.G, Felmerer G, Berger A, Henkel E.**  
Procalcitonin as a marker for the early diagnosis of severe infection after thermal injury  
Journal of Burn Care & Rehabilitation, Volume 20, Number 5; 1999 Sept./Okt.: 354-360
- BDN 448 Kylänpää-Bäck M.L et al. and Repo H.**  
Procalcitonin strip test in the early detection of severe acute pancreatitis  
British Journal of Surgery 2001, 88: 1-6
- BDN 449 Casado Flores J, Blanco Quiros A.**  
[Procalcitonin: A new marker for bacterial infection] [in Spanish]  
An Esp Pediatr 2001; 54: 69-73
- BDN 452 Müller B, White JC, Nylen ES, Snider RH, Becker KL, Habener JF**  
Ubiquitous expression of the calcitonin-1 Gene in multiple tissues in response to sepsis  
J. Clin. Endocrinol. Metab. 2001, 96(1): 396-404
- BDN 453 Lecharny JB, Khater D, Bronchard R, Philip I, Durand G, Desmots JM, Dehoux M.**  
Hyperprocalcitoninemia in patients with perioperative myocardial infarction after cardiac surgery  
Crit Care Med 2001, 29(2): 323-325
- BDN 454 Van Langevelde P et aö. and van Dissel JT.**  
Endotoxin, cytokines, and procalcitonin in febrile patients admitted to the hospital: Identification of subjects at high risk of mortality  
Clin Infect Dis 2000, 31: 1343-1348
- BDN 455 Kornberg A et al. and Scheele J.**  
Differentiated therapy with prostaglandin E1 (Alprostadil) after orthotopic liver transplantation: the usefulness of procalcitonin (PCT) and hepatic artery resistive index (RI) for the evaluation of early graft function and clinical course.  
Clin Chem Lab Med 2000, 38(11): 1177-1180
- BDN 456 Meisner M, Lohs T, Huettermann E, Schmidt J, Hueller M, Reinhart K.**  
The plasma elimination rate and urinary secretion of procalcitonin in patients with normal and impaired renal function  
Eur. J. Anaesthesiol. 2001, 18: 79-87
- BDN 457 Baykut D, Schulte-Herbrüggen J, Krian A.**  
The value of procalcitonin as an infection marker in cardiac surgery  
Eur J Med Res 2000, 5: 530-536

- BDN 458 Moulin F, Raymond J, Lorrot M, Marc E, Coste J, Iniguez JL, Kalifa G, Bohuon C.**  
 Procalcitonin in children admitted to hospital with community acquired pneumonia  
 Arch Dis Child 2001, 84: 332-336
- BDN 459 Blijlevens NMA, Donnelly JP, Meis JFGM, de Keizer MH, de Pauw BE.**  
 Procalcitonin does not discriminate infection from inflammation after allogeneic bone marrow transplantation  
 Clin Diag Lab Immunol 2000, 7(6): 889-892
- BDN 460 Galetto Lacour A et al. and Suter S.**  
 Procalcitonin, IL-6, IL-8, IL-1 receptor antagonist and C-reactive protein as identifiers of serious bacterial infections with fever without localising signs  
 Eur J Pediatr 2001, 160:95-100
- BDN 461 Reinhart K.**  
 Procalcitonin as a marker of the systemic inflammatory response to infections  
 J Anaesth Intensivbehandlung 2001, 2: 41-43
- BDN 462 Redl H, Boltzmann L.**  
 Sources of procalcitonin – lessons learned from animal studies  
 J Anaesth Intensivbehandlung 2001, 2: 54-55
- BDN 463 Russwurm S, Stonans I, Stonane E, Zipfel PF, Deigner HP, Reinhart K.**  
 Various human tissues express procalcitonin and CGRP-I mRNA  
 J Anaesth Intensivbehandlung 2001, 2: 55-58
- BDN 464 Nijsten MW, Olinga P, Hoekstra HJ.**  
 In vitro and in vivo stimulation of procalcitonin by TNF $\alpha$  and IL-6  
 J Anaesth Intensivbehandlung 2001, 2: 58-60
- BDN 465 Müller B et al. and Becker KL.**  
 Calcitonin precursors: prototypes of hormokines  
 J Anaesth Intensivbehandlung 2001, 2: 60-62
- BDN 466 Bienvenu J, Monneret G, Debard AL, Arpin M.**  
 The immunomodulatory role of procalcitonin (PCT)  
 J Anaesth Intensivbehandlung 2001, 2: 62-63
- BDN 467 Jorgensen PF, Wang JE, Solberg R, Thiemerman C, Foster SJ, Aasen AO.**  
 Procalcitonin does not influence the surface expression on whole blood leukocytes  
 Int Care Med 2001, 27: 430-433
- BDN 468 Meisner M, Reinhart K.**  
 Is procalcitonin really a marker of sepsis?  
 Int J Intensive Care 2001, 8(1): 15-25
- BDN 469 Matot I, Sprung CL.**  
 Definition of sepsis  
 Int Care Med 2001, 27: S3-S9
- BDN 470 Llewelyn M, Cohen J.**  
 Diagnosis of infection in sepsis  
 Int Care Med 2001, 27: 10-32
- BDN 471 Chiwakata CB, Manegold C, Bönicke L, Jülch C, Dietrich M.**  
 Procalcitonin as a parameter of disease severity and risk of mortality in patients with Plasmodium falciparum malaria  
 J Infect Dis 2001, 183: 1161-1164
- BDN 472 Tsokos M, Reichelt U, Nierhaus A, Puschel, K.**  
 Serum procalcitonin (PCT): a valuable biochemical parameter for the post-mortem diagnosis of sepsis  
 Int J Legal Med 2001, 114 (4-5): 237-243
- BDN 473 Hoffmann, O, Reuter U, Masuhr F, Holtkamp, Kassim N, Weber JR.**  
 Low sensitivity of serum procalcitonin in Bacterial meningitis in adults  
 Scand J Infect Dis 2001, 33: 215-218

- BDN 474 Buratti F et al. and Wiedermann J.**  
Plasma levels of procalcitonin and interleukin-6 in acute myocardial infarction  
Inflammation 2001, 25(2):97-100
- BDN 475 Kuse ER and Jaeger K.**  
Procalcitonin increases after anti-CD3 monoclonal antibody therapy does not indicate infectious disease  
Transpl Int 2001, 14: 55
- BDN 476 Wagner FD, Jonitz B, Qedra N, Wegscheider K, Weinmann E, Loebe M, Hetzer R.**  
Procalcitonin: A donor-specific predictor of early graft failure and early graft failure mortality after heart transplantation  
J Heart Lung Transplant 2001, 20(2): 206
- BDN 477 Qedra N, Wagner F, Jonitz B, Loebe M, Abraham K, Hetzer R.**  
Procalcitonin (PCT) is a new biological marker for the diagnosis of non-viral infections after transplantation of intrathoracic organs  
J Heart Lung Transplant 2001, 20(2): 239
- BDN 478 Enguix A, Rey C, Concha A, Medina A, Coto D, Dieguez MA.**  
Comparison of procalcitonin with C-reactive protein and serum amyloid for the early diagnosis of bacterial sepsis in critically ill neonates and children  
Int Care Med 2001, 27: 211-215
- BDN 479 Cooper D, Sharples L, Cornelissen J, Wallwork J, Alexander G, Trull A.**  
Comparison between procalcitonin, serum amyloid A, and C-reactive protein as markers of serious bacterial and fungal infections after solid organ transplantation  
Transplant Proc 2001, 33(1-2): 1808-1810
- BDN 480 Cohen J et al. and Opal S, on behalf of a UK Medical Research Council International Working Party**  
New strategies for clinical trials in patients with sepsis and septic shock  
Crit Care Med 2001, 29(4): 880-886
- BDN 481 Meisner M, Huttemann E, Lohs T, Kasakov L, Reinhart, K.**  
Plasma concentrations and clearance of procalcitonin during continuous veno-venous hemofiltration in septic patients  
Shock 2001, 15(3): 171-175
- BDN 482 Rau B, Steinbach G, Krüger C, Baumgart K, Grünert A, Beger HG.**  
Comparative analysis of procalcitonin (PCT) and lipopolysaccharide (LBP) in the prediction of infectious complications in acute pancreatitis  
Pancreatology 2001, 1: 143
- BDN 483 Herget-Rosenthal S et al. and Kribben A.**  
Procalcitonin for accurate detection of infection in haemodialysis  
Nephrol Dial Transplant 2001, 16: 975-979
- BDN 484 Redl H, Schießer A, Tögel E, Assicot M, Bohuon C.**  
Possible role of TNF on procalcitonin release in a baboon model in sepsis  
Shock 2001, 16(1): 25-27
- BDN 485 Zaborec R.**  
Definition for septic syndrome should be re-evaluated  
Int. Care Med. 2001, 26: 1870
- BDN 486 Korppi M, Remes S.**  
Serum procalcitonin in pneumococcal pneumonia in children  
Eur. Respir. 2001, 17: 623-627
- BDN 487 Gervais A, Galetto-Lacour A, Gueron T, Vadas L, Zamora S, Suter S, Girardin E.**  
Usefulness of procalcitonin and C-reactive protein rapid tests for the management of children with urinary tract infection  
Pediatr Infect Dis J 2001, 20: 507-512
- BDN 488 Bohuon C.**  
Cascade inflammatoire en réponse à la libération de toxines. Perspectives thérapeutiques [Inflammatory

cascade response to toxin release: therapeutic perspectives] [in French]  
 Ann Pharm Fr 2001, 59: 191-197

- BDN 489 Jereb M, Muzlovic I, Hojker s, Strle F.**  
 Predictive value of serum and cerebrospinal fluid procalcitonin levels for the diagnosis of bacterial meningitis  
 Infection 2001, 29(4): 209-212
- BDN 490 Sabat R et al. and Reinke P.**  
 Massive elevation of procalcitonin plasma levels in the absence of infection in kidney transplant patients treated with pan-T-cell antibodies  
 Int Care Med 2001, 27: 987-991
- BDN 491 Harbarth S et al. and Pugin J and the Geneva Sepsis Network**  
 Diagnostic value of procalcitonin, interleukin-6 and interleukin-8 in critically ill patients admitted with suspected sepsis  
 Am J Respir Crit Care Med 2001, 164: 396-402
- BDN 492 Whicher J, Bienvenue J, Monneret G.**  
 Procalcitonin as an acute phase marker  
 Ann Clin Biochem 2001, 38: 483-493
- BDN 493 Martinot M et al. and Christmann D.**  
 [Procalcitonin in pyelonephritis and acute community-acquired pneumonia in adults] [In French]  
 Press Med 2001, 30(22): 1091-1096
- BDN 494 Ulrich D, Noah E-M, Pallua N.**  
 [Plasma Endotoxin, procalcitonin, C-reactive protein, and organ function in patients with major burns] [ In German]  
 Handchir mikrochir Plast Chir 2001, 33: 262-266
- BDN 495 Russwurm S et al. and Reinhart K.**  
 Procalcitonin and CGRP-I mRNA expression in various human tissues  
 Shock 2001, 16(2): 109-112
- BDN 496 Spahr L, Morard I, Hadengue A, Vadas L, Pugin J.**  
 Procalcitonin is not an accurate marker of spontaneous bacterial peritonitis in patients with cirrhosis  
 Hepato-Gastroenterology 2001, 48:502-505
- BDN 497 Fernandez-Lopez A et al. and Pou Fernandez J.**  
 [Use of procalcitonin in a paediatric emergency department in the early detection of invasive bacterial infection in infants] [in Spanish]  
 An Esp Pediatr 2001, 55(4): 321-328
- BDN 498 Stiletto RJ, Baacke M, Gotzen L, Lefering R, Renz H.**  
 Procalcitonin versus interleukin-6 levels in bronchoalveolar lavage fluids of trauma victims with severe lung contusion  
 Crit Care Med 2001, 29(9): 1690-1693
- BDN 499 Lipsett PA.**  
 Serum cytokines, proteins, and receptors in acute pancreatitis: mediators, markers, or more of the same?  
 Crit Care Med 2001, 29(8): 1642-1644
- BDN 500 Hammer C, Fraunberger P, Meiser B, Hammer S.**  
 Procalcitonin: A new marker of diagnosis of acute rejection and nonviral infection of heart and lung transplant patients  
 Transplant Proceed. 2001, 33:2204-2206
- BDN 501 Preas HL, Nylen ES, Snider RH, Becker KL, White JC, Agosti JM, Suffredini F.**  
 Effects of anti-inflammatory agents on serum levels of calicottinin precursors during human experimental endotoxemia  
 J. Infect. Dis. 2001, 184: 373-376
- BDN 502 Liaudat s, Dayer E, Praz G, Bill J, Troillet N.**  
 Usefulness of procalcitonin serum level for the diagnosis of bacteremia  
 Eur J Microbiol Infect Dis 2001, 20: 524-527

- BDN 503 Svaldi M, Hirber J, Lanthaler AT, Mayr O, Faes S, Peer E, Mitterer M.**  
 Procalcitonin-reduced sensitivity and specificity in heavily neutropenic and immunosuppressed patients  
 Brit J Haematol. 2001, 115: 53-57
- BDN 504 Hoffmann G, Schobersberger W.**  
 Modulatory effects of PCT during sepsis (Letter to the editors)  
 Cytokine 2001, 14(2): 127-128
- BDN 505 D'Herbomez M, Leclerc L, Vantghem M-C, Fourrier F, Proye C, Wemeau JL.**  
 Clinical evaluation of a new sensitive calcitonin assay: study of specificity  
 Clin. Chim. Acta 2001, 311: 149-155
- BDN 506 Hemmer CJ, Reisinger EC.**  
 Procalcitonin levels in severe plasmodium falciparum malaria: predictor of outcome or reflection of pathomechanism?  
 J. Infect Dis 2001, 184: 1091
- BDN 507 Eloy O, Vauloup C, Therond P, Pina P, Allouch P, Pangon B, Bedos JP, Ghnassia JC.**  
 [Procalcitonin level in deep-seated Candida infections] [in French]  
 Ann. Biol. Clin. 2001, 59: 502-505
- BDN 508 Shin KC, Lee YJ, Kang SW, Baek HJ, Lee EB, KIM HA, Song YW.**  
 Serum procalcitonin measurement for detection of intercurrent infection in febrile patients with SLE  
 Ann Rheum. Dis. 2001, 388
- BDN 509 Beishuizen A, Thijs LG, Haanen C, Vermes I.**  
 Macrophage migration factor and hypothalamo-pituitary-adrenal function during critical illness  
 J. Clin. Endocrinol. Metab. 2001, 86(6): 2811-2816
- BDN 510 Yukioka H, Yoshida G, Kurita S, Kato N.**  
 Plasma procalcitonin in sepsis and organ failure  
 Ann. Acad. Med. Singapore 2001, 30: 528-531
- BDN 511 Janota J, Stranak Z, Belohlavkova S.**  
 [Interleukin-6, procalcitonin, C-reactive protein and I/T ratio in diagnostics of early-onset sepsis in low birth weight infants] [in Czech]  
 Ces. Gynec. 2000, 65 (Suppl.1): 29-33
- BDN 512 Penel N, Fournier C, Degardin M, Kouto H, Guyen MN.**  
 [Fever and solid tumour: diagnostic utility of procalcitonin and C-reactive protein] [in French]  
 Rev. Méd Interne 2001, 22: 706-714
- BDN 513 De Bont ESJM, Nijhuis CO, Kamps WA, Vellenga E.**  
 Interpretation of inflammatory markers in feverish cancer patients with or without neutropenia at admission  
 Brit. J. Haematol. 2001, 114: 485-491
- BDN 514 Redl H, Schießer A, Tögel E, Assicot M, Bohuon C.**  
 Possible role of procalcitonin release in baboon model of sepsis  
 Shock 2001, 16(1): 25-27
- BDN 515 Takubo T, Kumura T, Ohta K, Yamane T, Hino M, Kamitani T, Tatsumi N.**  
 Elevation of serum procalcitonin level in a patient with chronic myelocytic leukemia  
 Haematologia 2001, 31(2): 177-179
- BDN 516 Janota J, Simak J, Stranak Z.**  
 Procalcitonin – Marker of systemic infection and multiple organ dysfunction: Characteristics of gene and protein  
 Ceskoslovenska fysiolog. 2001, 50(3): 119-124
- BDN 517 Level C et al. and Combe C.**  
 Procalcitonin: a new marker of inflammation in haemodialysis patients?  
 Nephrol Dial Transplant 2001, 16: 980-986

- BDN 518 Pusch F, Wildling E, Freitag H, Weinstahl C.**  
Procalcitonin as a diagnostic marker in patients with aspiration after closed head injury  
Wien. Klin Wochenschr 2001, 113(17-18): 676-680
- BDN 519 Giamarellos-Bourboulis EJ et al. and Giamarellou H.**  
Assessment of procalcitonin as a diagnostic marker of underlying infection in patients with febrile neutropenia  
CID 2001, 32: 1718-1725
- BDN 520 Kretzschmar M, Krüger A, Schirrmeister W.**  
Procalcitonin following elective partial liver resection – origin from the liver  
Acta Anaesthesiol. Scand. 2001, 45:1162-1167
- BDN 521 Sablotzki A, Börgermann J, Baulig W, Friedrich I, Spillner J, Silber RE, Czeslick E.**  
Lipopolysaccharide-binding protein (LBP) and markers of acute-phase response in patients with multiple organ dysfunction syndrome (MODS) following open heart surgery  
Thorax Cardiovasc Surg 2001, 49: 273-278
- BDN 522 Marc E et al. and Gendrel D.**  
[Procalcitonin measurement for reducing antibiotic treatments during outbreak of viral meningitis in children] [in French]  
Arch Pédiatr 2002, 9: 1-7
- BDN 523 Janota J, Stranak Z, Belohlavkova S, Mudra K, Simak J.**  
Postnatal increase of procalcitonin in premature newborns is enhanced by chorioamnionitis and neonatal sepsis  
Eur J Clin Invest 2001, 31: 978-983
- BDN 524 Duflo F, Debon R, Monneret G, Bienvenue J, Chassard D, Allaouchiche B.**  
Alveolar and serum procalcitonin  
Anaesthesiology 2002, 96: 74-79
- BDN 525 Athhan F, Akagündüz B, Genel F, Bak M, Can D.**  
Procalcitonin: A marker of neonatal sepsis  
J Tropical Pediatr 2002, 48: 10-14
- BDN 526 Müller B, Becker KL.**  
Procalcitonin: how a hormone became a marker and mediator of sepsis  
Swiss Med Wkly 2001, 131: 595-602
- BDN 527 Hammer S et al. and Netz H.**  
Effect of cardiopulmonary bypass on myocardial function, damage and inflammation after cardiac surgery in newborns and children  
Thorac Cardiovasc Surg 2001, 49: 349-354
- BDN 528 Van Leeuwen HJ, Voorbij HAM.**  
[Procalcitonin concentration in the diagnosis of acute inflammatory reactions] [in Dutch]  
Ned Tijdschr Geneeskde 2002, 146(2): 55-59
- BDN 529 Sikora JP, Chlebna-Sokol D, Kryzanska-Oberbek.**  
Proinflammatory cytokines (IL-6, IL-8), cytokine inhibitors (IL-6sR, sTNFR2) and anti-inflammatory cytokines (IL-10, IL-13) in the pathogenesis of sepsis in newborns and infants  
Arch Immunol Ther Exper. 2001, 49: 399-404
- BDN 530 Shimetani N, Shimetani K, Mori M.**  
Levels of three inflammation markers, C-reactive protein, serum amyloid A protein and procalcitonin, in the serum and cerebrospinal fluid of patients with meningitis  
Scand J Clin Invest 2001, 61: 567-574
- BDN 531 Rintala EM, Aittoniemi J, Laine S, Nevalainen TJ, Nikoskelainen J.**  
Early identification of bacteremia by biochemical markers of systemic inflammation  
Scand J Clin Lab Invest 2001, 61: 523-530
- BDN 532 Kerbaul F, Guidon C, Lejeune PJ, Mollo M, Mesana T, Gouin F.**  
Hyperprocalcitoninemia is related to noninfectious postoperative systemic inflammatory distress syndrome associated with cardiovascular dysfunction after coronary artery bypass graft surgery

J Cardiothoracic Vasc Anaesth 2002, 16(1): 47-53

- BDN 533 Hausfater P, Garric S, Ben Ayed S, Rosenheim M, Bernard M, Riou B.**  
Usefulness of procalcitonin as a marker of systemic infection in emergency department patients: A prospective study  
CID 2002, 34: 895-901
- BDN 534 Weglöhner W et al. and Bergmann A.**  
Isolation and characterization of serum procalcitonin from patients with sepsis  
Peptides 2002, 2099-2103
- BDN 535 Bayana OEN.**  
[Bacterial infection, sepsis and procalcitonin [in Spanish]]  
Médica Sanitas 2001, 4(5): 19-21
- BDN 536 Reinhart K.**  
Diagnosis of sepsis  
MINERVA Anaesthesiol 2001, 67: 675-681
- BDN 537 Di Filippo, Lombardi A, Ognibene A, Messeri G, Tonelli F.**  
Procalcitonin as an early marker of postoperative infectious complications  
MINERVA Chir 2002, 57: 59-62
- BDN 538 Basler T, Meier-Hellmann A, Bredle D, Reinhart K.**  
Amino acid imbalance early in septic encephalopathy  
Intensive Care Med 2002, 28: 293-298
- BDN 539 Brunkhorst FM, Reinhart K, Loebe ME, DeBaakey ME.**  
Hyperprocalcitoninemia in patients with perioperative myocardial infarction after cardiac surgery  
Crit Care Med 2002, 30(2): 491-492
- BDN 540 Martinez R, Gaul C, Buchfelder M, Erbguth F, Tschaikowsky K.**  
Serum procalcitonin monitoring for differential diagnosis of ventriculitis in adult intensive care patients  
Intensive Care Med 2002, 28: 208-210
- BDN 541 Stríz L, Jaresova M, Lácha J, Sedláček J, Vitko S.**  
MRP 8/14 and procalcitonin serum levels in organ transplantations  
Ann Transplant 2001, 6(2): 6-9
- BDN 542 Savelyev VS et al. and Saganov VP.**  
[Role of procalcitonin assay in diagnosis and evaluation of severity of infectious forms of pancreonecrosis]  
[in Russian]  
Annaly Chirurgii 2001, 4: 44-49
- BDN 543 Marik PE.**  
Definition of sepsis: Not quite time to dump SIRS?  
Crit Care Med 2002, 30(3): 706-708
- BDN 544 Hövels-Gürich HH et al. and Seghaye MC.**  
Cytokine balance in infants undergoing cardiac operation  
Ann Thorac Surg 2002, 73: 600-609
- BDN 545 Guibourdenche J et al. and Porquet D.**  
Biochemical markers of neonatal sepsis: value of procalcitonin in the emergency setting  
Ann Clin Biochem 2002, 130-135
- BDN 546 Claeys R, Vinken S, Spapen H, ver Elst K, Decochez K, Huygens L, Gorus K.**  
Plasma procalcitonin and C-reactive protein in acute septic shock: Clinical and biological correlates  
Crit Care Med. 2002, 30(4): 757-762
- BDN 547 Hammer C., Höbel G., Hammer S., Fraunberger P., Meiser B.**  
Diagnosis and monitoring of inflammatory events in transplant patients  
Biomarkers of Disease. An Evidence-Based Approach, Trull AK et al (ed)  
Cambridge University Press 2002, pages 474-481

- BDN 548 Ruokonen E, Ilkka L, Niskanen M, Takala J.**  
 Procalcitonin and neopterin as indicators of infection in critically ill patients  
 Acta Anaesthesiol Scand 2002, 46: 398-404
- BDN 549 Guven H, Altintop L, Baydin A, esen S, Aygun D, Hokelek M, doganay Z, Bek Y.**  
 Diagnostic values of procalcitonin levels as an early indicator of sepsis  
 Am J Emerg Med 2002, 20: 202-206
- BDN 550 Van Dissel JT.**  
 Procalcitonin and other markers of infection. What should be their role in clinical practice?  
 Clin Microbiol Infect 2002; 8: 70-73
- BDN 551 Brunkhorst FM, Al-Nawas B, Forycki ZF, Shah PM.**  
 Procalcitonin, C-reactive protein and APACHE II score for risk evaluation in patients with severe pneumonia  
 Clin Microbiol Infect 2002, 8: 93-100
- BDN 552 Sablotzki A, Friedrich I, Mühling J, Dohne MG, Spillner j, Silber RE, Czeslik E.**  
 The systemic inflammatory response syndrome following cardiac surgery: different expression of proinflammatory cytokines and procalcitonin in patients with and without multiorgan dysfunctions  
 Perfusion 2002, 17: 103-109
- BDN 553 Morgenthaler N, Struck J, Fischer-Schulz C, Seidel-Müller E, Beier W, Bergmann A.**  
 Detection of procalcitonin (PCT) in healthy controls and patients with local infection by a sensitive ILMA  
 Clin Lab 2002, 48: 263-270
- BDN 554 Carrol ED, Newland P, Riordan FAI, Thomson APJ, Curtis N, Hart CA.**  
 Procalcitonin as a diagnostic marker of meningococcal disease in children presenting with fever and a rash  
 Arch Dis Child 2002, 86: 282-285
- BDN 555 Morgenthaler N, Struck J, Fischer-Schulz C, Bergmann A.**  
 Sensitive immunoluminometric assay for the detection of procalcitonin  
 Clin Chem 2002, 48(5): 788-790
- BDN 556 Reinhart K, Bayer O, Brunkhorst F, Meisner M.**  
 Markers of endothelial damage in organ dysfunction and sepsis  
 Crit Care Med 2002, 30(5) Suppl: S302-S312
- BDN 557 Tschaikowsky K et al. and Schüttler J.**  
 Coincidence of pro- and anti- inflammatory responses in the early phase of severe sepsis: Longitudinal study of mononuclear histocompatibility leukocyte antigen-DR expression, procalcitonin, C-reactive protein, and changes in T-cell subsets in septic and postoperative patients  
 Crit Care Med 2002, 30(5): 1015-1023
- BDN 558 Wiedermann FJ et al. and Schobersberger W.**  
 Migration of human monocytes in response to procalcitonin  
 Crit Care Med 2002, 30(5): 1112-1117
- BDN 559 Büscher U, Chen F, Dudenhausen JW.**  
 [Acute phase proteins and cytokines in cord blood for diagnosis of neonatal infection] [in German]  
 XVII. Akademische Tagung deutschsprechender Hochschullehrer in der Gynäkologie und Geburtshilfe, 3-5 Okt 2001, Leopoldskron, Salzburg, Abstract
- BDN 560 Kirchgatter K, del Portillo HA.**  
 Association of severe noncerebral plasmodium falciparum malaria in Brazil with expressed PfEMP1 DBL1□ sequences lacking cysteine residues  
 Molecular Med 2002, 8(1): 16-23
- BDN 561 Andermahr J et al. and Neugebauer E.**  
 Pneumonia in multiple injured patients: a prospective controlled trial on early prediction using clinical and immunological parameters  
 Inflamm. Res. 2002, 51: 265-272
- BDN 562 Dahaba AA, Elawady GA, Rehak PH, List WF.**  
 Procalcitonin and proinflammatory cytokine clearance during continuous venovenous haemofiltration in septic patients

Anaesth Intensive Care 2002, 30: 269-274

- BDN 563 Bergmann A, Bohuon C.**  
Decrease of serum dipeptidylpeptidase activity in severe sepsis patients: relationship to procalcitonin  
Clin Chim Acta 2002, 321: 123-126
- BDN 564 Hambach L et al. and Hertenstein B.**  
Diagnostic value of procalcitonin serum levels in comparison with C-reactive protein in allogeneic stem cell transplantation  
Haemologica 2002, 87: 643-651
- BDN 565 Brunkhorst FM, Karzai W, Reinhart K.**  
[Diagnostic approach to sepsis – State of the art] [in German]  
Zentralbl Chir 2002, 127: 165-173
- BDN 566 Smolkin V, Koren A, Raz R, Colodner, Sakran W, Halevy R.**  
Procalcitonin as a marker of acute pyelonephritis in infants and children  
Pediatr. Nephrol. 2002, 17: 409-412
- BDN 567 Gendrel D.**  
[Community-acquired pneumoniae in children: etiology and treatment] [in French]  
Arch Pédiatr 2002, 9: 278-288
- BDN 568 Kunz D, Kohse KP.**  
[Diagnostik of inflammation in pediatric patients] [in German]  
J Lab Med 2002 26(5/6): 335-340
- BDN 569 Oppert M, Reinicke A, Müller C, Barckow D, Frei U, Eckardt KU.**  
Elevations in procalcitonin but not in C-reactive protein are associated with pneumonia after cardiopulmonary resuscitation  
Resuscitation 2002, 53: 167-170
- BDN 570 Chirouze C et al. and Hoen B.**  
Low serum procalcitonin level accurately predicts the absence of bacteremia in adult patients with acute fever  
CID 2002, 35(2): 156-161
- BDN 571 Vassilyev GA, Vassilyev AG, Shlapak IP, Mischenko DL.**  
Plasma procalcitonin in diagnosis and monitoring of severe bacterial infection and sepsis (Review)  
9<sup>th</sup> Congress of Slovak Anaesthesiologists, Piestany, 22-24 May 2002, Conference proceedings, 2002, pp. 5-30
- BDN 572 Vassilyev GA, Mischenko DL, Shlapak IP, Vassilyev AG.**  
[Procalcitonin – A new parameter for diagnosis of severe infection (biochemistry, physiological properties, determination, comparison with other parameters)] [in Russian]  
Ukrainian Med. J. 2001, 4(24): 129-138
- BDN 573 Meisner M.**  
Pathobiochemistry and clinical use of procalcitonin  
Clinica Chimica Acta 323 (2002) 17-29
- BDN 574 Kiriyaama Y, Nomura Y, and Tokumitsu Y.**  
Calcitonin gene expression induced by lipopolysaccharide in the rat pituitary  
Am J Physiol Endocrinol Metab 282: E1380-E1384, 2002
- BDN 575 De Backer J et al. and De Backer G.**  
Parameters of inflammation and infection in a community based case-control study of coronary heart disease  
Atherosclerosis 160: 457-463, 2002
- BDN 576 Struck J, de Almeida P, Bergmann A, Morgenthaler NG.**  
High Concentrations of Procalcitonin but Not Mature Calcitonin in Normal Human Milk  
Horm Metab Res 2002; 34: 460-465
- BDN 577 Carrol ED, Thomson APJ, Hart CA.**  
Procalcitonin as a marker of sepsis  
International Journal of Antimicrobial Agents 20: 1-9, 2002

- BDN 578 Schmid A et al. and Schobersberger W.**  
Economic burden of illness imposed by severe sepsis in Austria  
Wien Klein Wochenschr 114/15-16: 697-701, 2002
- BDN 579 Pettilä V, Hynninen M, Takkunen O, Kuusela P, Valtonen M.**  
Predictive value of procalcitonin and interleukin 6 in critically ill patients with suspected sepsis  
Intensive Care Med 28: 1220-1225, 2002
- BDN 580 Pugin J.**  
Biomarkers of sepsis: is procalcitonin ready for prime time?  
Intensive Care Med 28: 1203-1204, 2002
- BDN 581 Giamarellos-Bourboulis EJ et al. and Giamarellou H.**  
Procalcitonin: a marker to clearly differentiate systemic inflammatory response syndrome and sepsis in the critically ill patient?  
Intensive Care Med 28: 1351-1356, 2002
- BDN 582 Tsokos M.**  
Postmortem measurement of serum procalcitonin concentration in Waterhouse-Friderichsen syndrome  
Virchows Archiv 2002
- BDN 583 Pezzilli R, Morselli-Labate AM, Romboli E, Dibenedetti F et al.**  
Pancreatic involvement during the early phase of shock  
JOP 2002, 3(4): 139-143
- BDN 584 Barnes C, Ignatovic V, Newall F, Carlin J, Ng F, Hamilton S, Ashley D, Waters K, Monagle P.**  
Change in serum procalcitonin ( $\Delta$ PCT) predicts the clinical outcome of children admitted with febrile neutropenia  
Brit J Haematol 2002, 118: 1190-1200
- BDN 585 Dehne MG, Sablotzki A, Hoffmann A, Mühlhing J, Dietrich FE, Hempelmann G.**  
Alterations of acute phase reaction and cytokine production in patients following severe burn injury  
Burns 2002, 28: 535-542
- BDN 586 Galstian GM, Berkovskii AL, Zueva VA, Kariakin AV, et al.**  
[Tumor necrosis factor, interleukin-6, endotoxin and procalcitonin in septic shock in patients with haematological malignancy] [in Russian]  
Terapevt. Arch. 2002, 7: 56-61
- BDN 587 Pettilä V, Hynninen M, Takkunen O, Kuusela P, Valtonen M.**  
Predictive value of procalcitonin and interleukin 6 in critically ill patients with suspected sepsis  
Intensive Care Med 2002, 28: 1220-1225
- BDN 588 Meisner M, Rauschmayer C, Schmidt J, Feyrer R, Cesnjevar et al.**  
Early increase of procalcitonin after cardiovascular surgery in patients with postoperative complications  
Intensive Care Med 2002, 28: 1094-1102
- BDN 589 Cabioglu N, Bilgic S, Gunnur D, Aktas E, Seyhun Y, Turna A, Gunay K, Esen F.**  
Decreased cytokine expression in peripheral blood leukocytes of patients with severe sepsis  
Arch Surg 2002, 137: 1037-1042
- BDN 590 Köszegi T.**  
Immunoluminometric detection of human procalcitonin  
J Biochem Biophys Methods 2002, 53: 157-164
- BDN 591 Balog A, Ocsovski I, Mándi Y.**  
Flow cytometric analysis of procalcitonin expression in human monocytes and granulocytes  
Immunology letters 2002, 84: 199-203
- BDN 592 Tugrul S, Ozcan PE, Akinci O, Seyhun Y, Cagatay A, Cakar N, Esen F.**  
The effects of IgM-enriched immunoglobulin preparations in patients with severe sepsis  
[ISRCTN28863830]  
Crit Care 2002, 6(4): 357-362
- BDN 593 Hanes SD, Boucher BA.**

Procalcitonin in bronchoalveolar lavage fluid after severe pulmonary contusion  
Crit Care Med 2002, 30(9): 2171-2172

- BDN 594 Kaneider NC, Egger P, Wiedermann FJ, Ritter M, Wöll E, Wiedermann CJ.**  
Involvement of cyclic adenosine monophosphate-dependent protein kinase A and pertussis toxin-sensitive G proteins in the migratory response of human CD14+ mononuclear cells to katacalcin  
J Bone Mineral Res 2002, 17(10): 1872-1882
- BDN 595 Wagner KE, Martinez JM, Vath SD, Snider RH, Nylen ES, Becker KL, Müller B, White JC.**  
Early immunoneutralization of calcitonin precursors attenuates the adverse physiologic response to sepsis in pigs  
Crit Care Med 2002, 30(10): 2313-2321
- BDN 596 Kordek A, Giedris-Kalemba S, Nikodemski T, Bartkowiak E, Trobe A, Czajka R.**  
[Procalcitonin as a marker of perinatal infection in newborn – preliminary data] [in Polish]  
GIN POL 2002, 73(8): 727-731
- BDN 597 Van der Kaay DCM, De Kleijn ED, De Rijke YB, Hop WCJ, De Groot R, Hazelzet JA.**  
Procalcitonin as a prognostic marker in meningococcal disease  
Intensive Care Med 2002, 28: 1606-1612
- BDN 598 Remskar M, Horvat M, Hojker S, Noc M.**  
Procalcitonin in patients with acute myocardial infarction  
Wien Klin Wochenschr 2002, 114(5-6): 205-210
- BDN 599 Lotric-Furlan S, Maraspin-Carman V, Cimperman J, Ogrinc K, Stopar T, Strle F.**  
Procalcitonin levels in patients with Lyme borreliosis  
Wien Klin Wochenschr 2002, 2002(13-14): 530-532
- BDN 600 Blommendahl J, Janas M, Laine S, miettinen A, Ashorn P.**  
Comparison of procalcitonin with CRP and differential white blood cell count for diagnosis of culture-proven neonatal sepsis  
Scand J Infect Dis 2002, 34: 620-622
- BDN 601 Leclerc F, Leteurtre S, Noizet O, Dorkenoo A, Sadik A, Cremer R, Fourier C.**  
Procalcitonin as a prognostic marker in children with meningococcal septic shock  
Arch Dis Child 2002, 450
- BDN 602 Bach F, Grundmann U, Bauer M, Buchinger H, Soltesz S, Graeter T, Larsen R, Silomon M.**  
Modulation of the inflammatory response to cardiopulmonary bypass by dopedamine and epidural anaesthesia  
Acta Anaesthesiol Scand 2002, 46: 1227-1235
- BDN 603 Jerin A, Pozar-Lukanovic N, Sojar V, Stanislavlevic D, Paver-Erzen V, Osredkar J.**  
Neopterin – an early marker of surgical stress and hypoxic reperfusion damage during liver surgery  
Clin Chem Lab Med 2002, 40(7): 663-666
- BDN 604 Hoffmann G, Czechowski M, Schloesser M, Schobersberger W.**  
Procalcitonin amplifies inducible nitric oxide synthase gene expression and nitric oxide production in vascular smooth muscle cells  
Crit Care Med 2002, 30(9): 2091-2095
- BDN 605 Maccioli GA.**  
Sepsis and trials: Are we studying the right patients in the correct fashion?  
Crit Carre Med 2002, 30(11): 2594-2595
- BDN 606 Vassilyev, GA, Mischenko, DL, Shlapak, IP, Vassilyev, AG.**  
[Applications of procalcitonin concentration measurement in clinical practice] [in Russian]  
Ukrainian Med J 2002, 30(4): 17-27
- BDN 607 Tomita T.**  
Immunocytochemical localization of prohormone convertase 1/3 and 2 in thyroid C-cells and medullary carcinoma  
Endocrine Pathol. 2000, 11(2): 165-172
- BDN 608 Teres D, Rapoport J, Lemeshow S, Kim S, Akhras K.**  
Effects of severity of illness on resource use by survivors and nonsurvivors of severe sepsis at intensive

care unit admission  
Crit Care Med 2002, 30(11): 2413-2419

- BDN 609 Lindberg M, Hole A, Johnsen H, Asberg A, Rydning A, Myrvold HE, Bjerve KS.**  
Reference intervals for procalcitonin and C-reactive protein after major abdominal surgery  
Scand J Clin Lab Invest 2002, 62: 189-192
- BDN 610 Bayona ON, Fernandez Lopez A, Luaces Cubells C.**  
Procalcitonin: a new diagnostic tool in bacterial infections  
Med Clin (Barc) 2002,119(18):706-14
- BDN 611 D'Escrivan T, Kipnis E, Robriquet L.**  
Assessment of procalcitonin levels in emergency department patients  
CID 2002, 35:1275-1276
- BDN 612 Chiesa C, Pellegrini G, Panero A, Osborn JF, Signore F, Assumma M, Pacifico L.**  
C-reactive protein, interleukin-6, and procalcitonin in the immediate postnatal period: Influence of illness severity, risk status, antenatal and perinatal complications, and infection  
Clin Chem 2003, 49(1): 60-68
- BDN 613 Escobar GJ.**  
Effect of the systemic inflammatory response on biochemical markers of neonatal bacterial infection: A fresh look at old confounders  
Clin Chem 2003, 49(1): 21-22
- BDN 614 Sitter T, Schmidt M, Schneider S, Schiffli H.**  
Differential diagnosis of bacterial infection and inflammatory response in kidney diseases using procalcitonin  
J Nephrol 2002, 15: 297-301
- BDN 615 Han YY, Doughty LA, Kofos D, Sasser H, Carcillo JA.**  
Procalcitonin is persistently increased among children with poor outcome from bacterial sepsis  
Pediatr Crit Care Med 2003, 4(1):21-25
- BDN 616 Mariscaldo MM.**  
Is plasma procalcitonin ready for prime time in the pediatric intensive care unit?  
Pediatr Crit Care Med 2003, 4(1): 118-119
- BDN 617 Flieger R. R., Winkler M., Werdan K.**  
[24-year old patient under suspected meningococcal meningitis caused sepsis] [in German]  
Intensiv-News 2003, 1: 19-21
- BDN 618 Delévaux I, André M, Aumaitre O et al.**  
Procalcitonin measurement for differential diagnosis between pulmonary embolism and pneumonia  
Crit Care Med 2003 ,31(2): 661
- BDN 619 Schennach H, Murr C, Larcher C et al.**  
Neopterin concentrations in cord blood: a single-cohort study of paired samples from 541 pregnant women and their newborns  
Clin Chem 2002 , 48(11): 2059-206
- BDN 623 Grebe SO, Mueller TF.**  
Immune Monitoring in Organ Transplantation Using Neopterin  
Current Drug Metabolism 2002, 3, 189-202
- BDN 624 Pinkola K, Darvas K.**  
[Application of procalcitonin quick test at surgical patients treated in the intensive care unit] (in Hungarian, English abstract)  
(Hungarian J Surg) Magyar Sebészet 54, 368-370, 2001
- BDN 626 Tugrul S, Esen F, Celebi S et al.**  
Reliability of Procalcitonin as a Severity Marker in Critically Ill Patients with Inflammatory Response  
Anaesth Intensive Care 2002, 30, 747-754
- BDN 627 Christofilopoulou S, Charvalos E, Petrikos G.**  
Could procalcitonin be a predictive biological marker in systemic fungal infections? Study of 14 cases  
Eur J Internal Med 2002, 13: 493-495

- BDN 628 Korppi M, Remes S, Heiskanen-Kosma T.**  
 Serum Procalcitonin Concentrations in Bacterial Pneumonia in Children: A Negative Result in Primary Healthcare Settings  
*Ped Pulmonol* 2003, 35: 56-61
- BDN 630 Moerer O, Schmid A, Hofmann A.**  
 Direct costs of severe sepsis in three German intensive care units based on retrospective electronic patient record analysis of resource use  
*Intensive Care Med.* 2002, 28: 1440-1446
- BDN 631 Meisner M, Müller V, Khakpour Z et al.**  
 Induction of procalcitonin and proinflammatory cytokines in an anhepatic baboon endotoxin shock model  
*SHOCK*, 19 (2): 187-190
- BDN 632 Schüttrumpf S, Binder L, Hagemann T et al.**  
 Procalcitonin: a useful discriminator between febrile conditions of different origin in hemato-oncological patients?  
*Ann Hematol* 2003, 82: 98-103
- BDN 633 Martinez JM, Wagner KE, Snider RH et al.**  
 Late Immunoneutralization of procalcitonin arrests the progression of lethal porcine sepsis  
*Surg Infections* 2001, 2 (3): 193-203
- BDN 634 Balci C, Sungurtekin H, Gürses E et al.**  
 Usefulness of procalcitonin for diagnosis of sepsis in the intensive care unit  
*Critical Care* 2003, 7: 85-90
- BDN 636 Hatzistilianou M, Hitoglou S, Gougoustamou D et al.**  
 Serum procalcitonin adenosine deaminase and its isoenzymes in the aetiological diagnosis of pneumonia in children  
*Intern J Immunopathology Pharmacol* 2002, 15( 2): 119-127
- BDN 637 Molnár Z, Szakmány T, Heigl P.**  
 Microalbuminuria does not reflect increased systemic capillary permeability in septic shock  
*Intensive Care Med* 2003, 29: 391-395
- BDN 638 Sablotzki A, Dehne MG, Friedrich I et al.**  
 Different expression of cytokines in survivors and non-survivors from MODS following cardiovascular surgery  
*Eur J Med Res* 2003, 8: 71-76
- BDN 639 Connert S, Stremmel W, Elsing C.**  
 Procalcitonin is a valid marker of infection in decompensated cirrhosis  
*Z Gastroenterol* 2003: 41: 165-170
- BDN 640 Martin GS, Mannino DM, Eaton S, Moss M.**  
 The epidemiology of sepsis in the United States from 1979 through 2000  
*N Engl J Med* 2003, 348 (16): 1546-1554
- BDN 641 Maruna P, Gürlich R, Fra\_ko R et al.**  
 [Procalcitonin in diagnosis of post-operative complications] [in Czech]  
*Sborník léka\_sk\_ 2002*, 103 (2): 283.295
- BDN 642 Hryniewiecki T, Sitkiewicz D, Rawczy\_ska-Englert I.**  
 [Role of procalcitonin in diagnosis of uncomplicated infective endocarditis] [in Polish]  
*Przegląd Lekarski* 2002, 59 (10): 793-795
- BDN 643 Mary R, Veinberg F, Couderc R.**  
 [Bacterial meningitis, inflammatory proteins and procalcitonin] [in French]  
*Ann Biol Clin* 2003, 61 (2) : 127-137
- BDN 644 Pelinka LE, Sendova K, Mauritz W et al.**  
 Quantitative versus semiquantitative procalcitonin measurement  
*Europ Journal of Trauma* 2003, No. 2 : 81-84

- BDN 645 Kocazeybek B, Küçüko\_lu S, Öner YA.**  
 Procalcitonin and c-reactive protein in infective endocarditis: correlation with etiology and prognosis  
 Chemotherapy 2003, 49: 76-84
- BDN 646 Riché FC, Cholley BP, Laisné MJC et al.**  
 Inflammatory cytokines, C- reactive protein, and procalcitonin as early predictors of necrosis infection in acute necrotizing pancreatitis  
 Surgery 2003, 133 (3): 257-262
- BDN 647 Molter GP, Soltész S, Kottke R et al.**  
 [Procalcitonin plasma concentrations and systemic inflammatory response following different types of surgery] [in German]  
 Anaesthesist 2003, 52 : 210-217
- BDN 648 Delèvaux I, André M, Colombier M et al.**  
 Can procalcitonin measurement help in differentiating between bacterial infection and other kinds of inflammatory processes?  
 Ann Rheum Dis 2003, 62: 337-340
- BDN 649 Resch B, Gusenleitner W, Müller WD.**  
 Procalcitonin and interleukin-6 in the diagnosis of early-onset sepsis of the neonate  
 Acta Paediatr 2003, 92: 243-245
- BDN 650 Leclerc F, Cremer R, Noizet O.**  
 Procalcitonin as a diagnostic and prognostic biomarker of sepsis in critically ill children  
 Pediatr Crit Care Med 2003, 4 (2): 264-266
- BDN 651 Carlet J.**  
 Rapid diagnostic methods in the detection of sepsis  
 Bacterial Sepsis and Septic Shock 1999, 13 (2): 483-494
- BDN 652 Levy MM, Fink MP, Marshall JC et al.**  
 2001 SCCM/ESICM/ACCP/ATS/SIS international sepsis definitions conference  
 Crit Care Med 2003, 31 (4): 1250-1256
- BDN 653 Ittner L, Born W, Rau B et al.**  
 Circulating procalcitonin and cleavage products in septicaemia compared with medullary thyroid carcinoma  
 Europ Journal of Endocrinology 2002, 147: 727-731
- BDN 654 Czyzewska M, Lachowska M, Gajewska E.**  
 [Evaluation of diagnostic value of procalcitonin (PCT) as a marker of congenital infection in newborns] [in Polish]  
 Przegląd Lekarski 2002, 59 (Suppl 1): 46-49
- BDN 655 Casado-Flores J, Blanco-Quirós A, Asensio J et al.**  
 Serum procalcitonin in children with suspected sepsis: a comparison with c-reactive protein and neutrophil count  
 Pediatr Crit Care Med 2003, 4 (2): 190-195
- BDN 656 Werner J, Hartwig W, Uhl W, Müller Ch.**  
 Useful markers for predicting severity and monitoring progression of acute pancreatitis  
 Pancreatology 2003, 3: 115-127
- BDN 657 Villanueva JL, Cervin RJ.**  
 Serum procalcitonin levels and empirical antibiotic treatment of patients with community-acquired febrile syndromes  
 Clin. Infect. Dis. 2003, 36 (6) 822
- BDN 658 Nylen E, Muller B, Becker KL, Snider R.**  
 The future diagnostic role of procalcitonin levels: the need for improved sensitivity  
 Clin. Infect. Dis. 2003, 36 (6): 823-824
- BDN 659 van Dissel JT.**

Procalcitonin: what should be its role in the clinical management of febrile patients admitted to the hospital?

Clin. Infect. Dis. 2003, 36 (6): 824-825

**BDN 660 Debard AL, Vautrin C, Pariset C et al.**

High serum procalcitonin levels do not predict bacteremia in adult patients with acute fever

Clin. Infect. Dis. 2003, 36 (6): 825-826

**BDN 661 Chirouze C. and Hoen B.**

Author reply to: Clin. Infect. Dis. 2003, 36 (6): 825-826: High serum procalcitonin levels do not predict bacteremia in adult patients with acute fever

Clin. Infect. Dis. 2003, 36 (6): 826-827

**BDN: 662 Dahaba AA, Rehak PH, List WF.**

Procalcitonin and C-reactive protein plasma concentrations in nonseptic uremic patients undergoing hemodialysis

Intensive Care Med 2003, 29: 579-583

**BDN 663 Schinkel C, Zedler S, Faist E et al.**

[Clinical relevance of biochemical markers for the diagnosis, prognosis and therapy of polytraumtized patients] [in German]

Intensivmed 2002, 39: 327-333

**BDN 664 Polzin A, Pietz M, Erbes R, Raffenberg M, Mauch H, Wagner S, Arndt G, Lode H.**

Procalcitonin as a diagnostic tool in lower respiratory tract infections and tuberculosis

Eur Resp J 2003, 21: 939-943

**BDN 665 Luzzani A, Polati E, Dorizzi R, rungatscher A, Pavan R, Merlini A.**

Comparison of procalcitonin and C-reactive protein as markers of sepsis

Crit Care Med 2003, 31(6): 1737-1741

**BDN 666 Kordek A, Giedrys-Kalemba S, Pawlus B, Podraza W, Czajka R.**

Umbilical cord serum procalcitonin concentration in the diagnosis of early neonatal infection

J Perintology 2003, 23: 148-153

**BDN 667 Hoffmann G, Schobersberger W.**

Procalcitonin as a marker

Acta Anaesthesiol Scand 2003, 47: 237

**BDN 668 Chauveau P, Level C, Lasseur C, Bonarek H, Peuchant E, Montaudon D, Vendrely B, Combe C.**

C-reactive protein and procalcitonin as markers of mortality in hemodialysis patients : A 2-year prospective study

J Renal Nutrition 2003, 13(2): 137-143

**BDN 669 Boeken U, Feindt P, Schulte HD, Gams E.**

Elastase release following myocardial ischemia during extracorporeal circulation (ECC) . Marker of ongoing systemic inflammation?

Thorac Cardiovasc Surg 2002, 41: 136-140

**BDN 670 Prat C, Dominguez J, Rodrigo C, Gimenez M, Azuara M, Jimenez O, Gali N, Ausina V.**

Elevated serum procalcitonin values correlate with renal scarring in children with urinary tract infection

Pediatr Infect Dis J 2003, 22: 438-442

**BDN 671 Gattas DJ, Cook DJ.**

Procalcitonin as diagnostic test for sepsis: Health technology assessment in the ICU

J Crit Care 2003, 18(1): 52-58

**BDN 672 Sauer M, Tiede K, fuchs D, Gruhn B, Berger D, Zintl F.**

Procalcitonin, C-reactive protein, and endotoxin after bone marrow transplantation: identification of children at high risk of morbidity and mortality from sepsis

Bone Marrow Transplantation 2003, 31: 1137-1142

**BDN 673 Koskenvuo MM, Irjala K, Kinnala A, Ruuskanen O, Kero P.**

Value of monitoring serum procalcitonin in neonates at risk of infection

Eur J Microbiol Infect Dis 2003, 22: 377-378

- BDN 674 Marx C, Petros S, Bornstein SR, Weise M, Wendt M, Menschikowski M, Engelmann L, , Höffken G.**  
 Adrenocortical hormones in survivors and nonsurvivors of severe sepsis: Diverse time course of dehydroepiandrosterone, dehydroepiandrosterone-sulfate and cortisol  
 Crit Care Med 2003, 31(5): 1382-1388
- BDN 675 Holzheimer RG.**  
 Oral antibiotic prophylaxis can influence the inflammatory response in aortic aneurism repair: Results of a randomised clinical study  
 J Chemotherapy 2003, 15(2): 157-164
- BDN 676 Hohenberger P., Latz E, Kettelhack C, Rezaei A-H, Schumann R, Schlag PM.**  
 Pentoxifyllin attenuates the systemic inflammatory response induced during isolated limb perfusion with recombinant human tumor necrosis factor- $\alpha$  and Melphalan  
 Ann Surg Oncol 2003, 10(5): 562-568
- BDN 677 Gerlach H, Dhainaut JF, Harbarth S, Reinhart K, Marshall JC, Levy M.**  
 The PIRO concept: R is for response  
 Critical Care 2003, 7(3): 256-259
- BDN 678 Reinhart K, Brunkhorst FM, Bloos F.**  
 [New considerations in the treatment of sepsis] [in German]  
 Deutsches Ärzteblatt 2003, 100 (31-32): A2080-A2086